



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---





X-GMB-K1 PLUS+S2 Gembird Android smart TV box S805, 1GB RAM/8GB ROM, Mali450 4K 64b, KODI android 5.



Šifra: 10852

Kategorija proizvoda: TV box i resiveri

Proizvođač: GEMBIRD

**Cena: 7.561 rsd.**

Smart Tv Box Sa Instaliranim Aplikacijama Unutar Kodi Platforme. IPTV, Filmovi, TV Serije, Radio Program. Napravite Od Svog TV Prijemnika Android Smart Kompjuter Koji Će Vas Uvesti U Nov Svet Multimedijalnog Sadržaja

CPU:Amlogic S805 Quad Core XBMC Box

CPU:Amlogic S805 Quad-Core Cortex-A5@1.5GHz

GPU: Quad-Core Mali-450@600MHz

Video Decoder:1080p60 HEVC/H.265,H.264,VC-1,MPEG1/2/4

Video Encoder:H.264,1080P

TV Output:1080P, HDMI1.4b, CVBS

Memory:DDRIII 1GB

Flash:Flash 8GB

Ethernet:100M

IR:Infra Remote control

LED Indicator:Power ON :blue; Standby :Red

DRM:Microsoft Playready/Verimatrix/Google Widevine(Optional)

DVB: DVB S2

Quad-core Android4.4 STB Hybrid

CPU:Amlogic S805 Quad-Core Cortex-A5@1.5GHz

GPU: Quad-Core Mali-450@600MHz )

3D: Hardward 3D graphics acceleration

Memory DDRIII 1GB

Flash Nand Flash 8GB ( 4-32GB Optional )

Will: Built in 2.4G WiFi

Bluetooth: Optional

IR: Infra Remote control

LED Indicator: Power ON :blue: Standby Red

Mould: Private Tooling

3G: Support most external 3G USB dongle

DVB-S2 system standard: ETS 302 307

Symbol Rates: 0PSK 8PSK

Forward error correction rate 1/4.1/3.2/5.3/5,2/3.3/4.4/5.5/6.8/9.9/10

Carrier frequency acquisition range:  $\pm 5$ MHz for symbol rates above 3 Msps and  $\pm 3$ MHz for the remaining symbol rates

Roll-off factors for pulse shaping: 0.2. 0.25 and 0.35

Symbol Rates: 1.55 Msps

Code Rates: 1/2, 2/3. 3/4. 5/6. 7/8

Input Signal level: -84 dBm to 0 dBm (average power)

ANT. Connector:IEC TYPE. female Loop Output:IEC TYPE. male

HDMI 1.4 1080P Support

4'USB HOST: 4 High speed USB 2.0.support U DISK and USB HDD