



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Tenda A301 WiFi ripiter/ruter 300Mbps Repeater

Mode Client+AP white, 1x LAN

Šifra: 10925

Kategorija proizvoda: Ruteri

Proizvođač: TENDA



Cena: 2.623 rsd.

Max EIRP to route: 58mW

Max EIRP to device: 98mW

Certification: CE?FCC?RoHs?ETL?RCM

Default Access: <http://re.tendacn.com>

Login Password: admin

Humidity: Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

Operating Temperature: 0?~40?

Storage Temperature: -40?~70?

Package Content: 1*Wireless N300 Universal Range Extender

1*Ethernet cable

1*Quick Installation Guide

Unit Dimensions: 110x55x39.2mm (LxWxH)

Power: 802.11b: 19dBm \pm 1dBm

802.11g: 18dBm \pm 1.5dBm

802.11n: 17dBm \pm 1.5dBm

Frequency: 2.412-2.48GHz

DHCP Server: Support

Wireless Security: MAC Filter

64/128-bit WEP

WPA-PSK/WPA2-PSK,WPA,WPA2

Standard&Protocol: IEEE802.11b,IEEE 802.11g, IEEE 802.11n

Plug: TypeUK/EU/US/China/Australia

Port: 1*RJ45

Antenna: 2 external antennas

Button: Reset, WPS

Power Supply: Internal DC5V/1A

Power Consumption: 1.4W, no load / 3.6W, full load

LED1*LAN,1*RE(Range Extender),1*power indicator, 1*signal strength indicator

Mode: Repeater Mode(Client+AP)

Speed802.11b : 11 Mbps

802.11g : 54 Mbps

802.11n : 300Mbps

DistanceOutdoor:300m. Indoor: 100m(It changes according to the actual environment)

Wireless Function:

Wireless Radio: Enable/Disable

SSID Broadcast: Enable/Disable

Channel: 1-11

Domain Login Function

Safety:

Security Mode: 64/128-bit WEP, WPA, WPA2, Mix WPA-PSK/WPA2-PSK

Encryption Type: AES, TKIP, TKIP&AES