



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

DAHUA IPC-HFW2849T-AS-IL-0360B 8MP Smart
Dual Light Fixed-focal Bullet WizSense Network
Camera

Šifra: 110036

Kategorija proizvoda: Kamere IP

Proizvođač: DAHUA



Cena: 32.832 rsd.

Audio	Mikrofon:	Ugrađen
	Podržani audio formati:	G.726, PCM, G.711a, G.711Mu Automatski balans bele, Auto gain control, BLC, HLC, Detekcija pokreta, WDR, 3D NR, ROI, privacy masking
Dodatne funkcije	Snimanje:	
	Dimenzije:	238.5mm x 90.7mm x 90.7mm
	Masa:	720g
Fizičke karakteristike	Boja:	Bela
	RAM:	256MB
	Interna:	128MB
Memorija	Podržane memorijske kartice:	MicroSD (do 256GB)
Reklamacioni period	Reklamacioni period:	24 meseca
	Tip kamere:	IP
Senzor	Rezolucija senzora:	1.280 x 720 (HD 720p), 2.688 x 8 Megapiksela 1.520, 2.304 x 1.296, 1.920 x 1.712
	Veličina:	1.080, 3.072 x 2.048, 1.280 x 960 (1.3M), 704 x 576 (D1), 704 x 480 (D1), 640 x 480 (VGA), 352 x 288 (CIF), 352 x 240 (CIF), 2.880 x 1.620, 2.048 x 1.536 (3M), 3.072 x 1.728, 3.840 x 2.160
	Rezolucija videa:	
	Frame rate:	1 ~ 202530fps H.264, H.264B, H.264H, H.265, MJPEG, Smart H.264+, Smart H.265+
Snimanje videa	Podržani video formati:	
Sočivo	Fokusna daljina:	3.0mm - 6mm
	Fokusni koeficijent:	F1.6
	Ostalo:	Video encryption, configuration encryption, Digest, WSSE, account lockout, security logs, generation and importing of X.509 certification, HTTPS, trusted boot, trusted execution, trusted upgrade, Firmware encryption, IPMAC filtering, Syslog, IEEE 802.1x
Zaštita		
	Protok žične mreže:	10/100Mbps IPv4, ARP, TCP, UDP, ICMP, RTSP, RTP, RTCP, IPv6, HTTP, FTP, NTP, SMTP, DNS, DDNS, PPPOE, DHCP, UPnP, IGMP, QoS, Multicast, NFS, RTMP, Bonjour, P2P
Žična mreža	Protokoli:	