



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Tenda AC5 v3 AC1200 wireless dual band ruter
2.4+5GHz, 1W/3L 10/100, 1Ghz cpu, 4x5dBi ,9v/1

Šifra: 11081

Kategorija proizvoda: Ruteri

Proizvođač: TENDA



Cena: 3.132 rsd.

FIRMWARE 11.8.2020 to prevent backdoor hacking if using remote control function:

<https://www.tendacn.com/en/download/detail-3193.html>

AC5 is an AC1200 dual band WiFi router, designed for medium-sized apartment with a 100Mbps fiber access. It provides WiFi speed up to 1167 Mbps (5GHz: 867Mbps and 2.4GHz: 300Mbps). Adopted the integrated dual-band technology, combining 2.4GHz and 5GHz signals under one WiFi name. The faster band would be allocated to your devices automatically by our dynamic optimization system. Meanwhile, featured with 4*6dBi high-gain antennas and equipped with a 28nm high performance CPU, it brings a better internet experience. AC5 supports IPv6 protocol, it can reduce the data transmission time and minimize the lag. Furthermore, the remote management function by the Tenda WiFi App provides the easiest way to manage AC5.

Standard&Protocol IEEE802.3,IEEE802.3u,IEEE802.3ab

Interface 1*10/100Mbps WAN port

3*10/100Mbps LAN ports

Antenna 4*6dBi external high-gain antennas

Button 1*WPS/Reset button

Power Input:AC 100-240V—50/60Hz

Output:DC 9V 1A

LED indicator 1*LED

Dimension 200x127x33.6mm(L*W*H)

Wireless Standards IEEE 802.11ac/a/n @5GHz

IEEE 802.11b/g/n @2.4GHz

Data Rate 2.4GHz: 300Mbps

5GHz: 867Mbps

Frequency 2.400 - 2.4835 GHz

5.150 - 5.250 GHz

Wireless Security WPA-PSK/WPA2-PSK, WPA/WPA2

Wireless Security : Enable /Disable

Internet Connection Type PPPoE, Dynamic IP, Static IP

Support automatic access detection

Supports broadband account automatic transfer

Operating Mode Wireless Router Mode

AP Mode

Universal Repeater mode

WISP Mode

DHCP DHCP Server

DHCP Client List

DHCP Reservation

Virtual ServerPort Forwarding

DMZ Host

UPnP

Security Client Filter(supports black list and white list)