



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

Tablet 10.1 Blackview Tab 70 Wifi 800x1280 HD IPS4GB64GB5MP-2MPAndroid 13space gray



Šifra: 119207

Kategorija proizvoda: Tablet uređaji

Proizvođač: BLACKVIEW

**Cena: 10.230 rsd.**

<b>Tab70 WiFi specs</b>		
Mdoel	Mdoel	Tab70 WiFi
	Color option	Grey
	Dimensions LxWxH, mm	246.5*163*9.9M
	Weight, kg	520.5G
Screen	Size, inch	10.1inch
	Resolution	800*1280 16:10
	LCD panel	BOE
	IC	JD9365DA-H3
	Panel type (IPS, other)	HD+ IPS
	PPI/DPI	PPI:149,
	Brightness, cd/cm2	300
	Screen to Body Ratio (%)	79%
Touch panel	Viewing angle (H/V)	full angle
	Multi-touch, points supported	10 points
	TP type (G+G, other)	G+G
	IC	GSL3676
Connectivity	glass	xuxiaozi
	Wi-Fi version & spec	802.11a/b/g/n/a
	Bluetooth version & spec	5.0
	GSM spec	NO
	3G spec	NO
	LTE spec	NO
	5G spec	NO
GPS spec	NO	
PCBA	PCBA specs	Six-layer board
	CPU name	RK3562
	Cores qty	four core Cortex
	CPU clock	Quad-core Cortex
	GPU	Mali-G52 1-Core

RAM type	LPDDR3	
RAM volume	4GB	
ROM type	EMMC 5.1	
ROM volume	64GB	
TF card slot	YES	
USB type & qty	TYPE-C	
Max temperature on the surface during max loading	Celsius 41.6	
Video Decode	4K@30fps Video Decoder	
video Encode	H.264 1080p@60fps Video Encoder	
NFC IC	NO	
Uplink speed		
Downlink speed		
Camera	Front, Mpix	5M
	Front Camera Sensor	GC02M1
	Auto-focus (AF,FF)	FF
	Front Camera Aperture	f2.8
	Front Camera Sensor Size	1/5 inch
	Front Flash	NO
	Rear, Mpix	8M
	Rear Camera Sensor	GC5035
	Rear Camera Sensor Size	1/4inch
	Auto-focus (AF,FF)	AF
	Rear Camera Aperture	f2.2
	Rear Flash	Yes
Sound	Speaker qty	2*1217 BOX sp
	Speaker $\Omega$ /W	8 $\Omega$ /1.0W /BOX
	Receiver size LxWxH, mm	NO
	Receiver $\Omega$ /W	NO
	Microphone type	microphone
Power	PMIC (Power management unit)	RK817-6
	Battety type & V/A	3.8V ~4.35V
	Battery Size, LxWxH, mm	143*104*2.85m
	Polymer type	Li ion polymer b
	Battery capacity, Wh	22.8Wh
	Battery capacity, mAh	6000 mAh
	Battery working voltage range, V	3.4V~4.35V
	Max charging current for the battery,	5V/2A