



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---





Dahua IPC-HDBW1230E-0280B-S5, IP 2MP Anti-vandal dome IC kamera, IC 30M, 2.8mm, IP67, IK10

Šifra: 123039

Kategorija proizvoda: Kamere IP

Proizvođač: DAHUA



**Cena: 7.573 rsd.**

- IP anti-vandal dome IC kamera 2MP
- 1/2.8" progressive scan low illuminance CMOS (1920x1080 piksela)
- Osetljivost 0.01Lux /F2.0(kolor), 0Lux (IC aktivan)
- IC LE diode dometa cca. 30m (3x IC LED), Smart IR
- Fiksni objektiv 2.8mm F2.0 (Vidni ugao 102°)
- 3.6mm opciono (84°)
- True D/N funkcija (IRC)
- BLC/ HLC/ DWDR
- 3D DNR
- ROI
- Masking (do 4 zone)
- Motion detection (do 4 zone)
- Smart H.265+/Smart H.264+/H.265/H.264B/MJPEG(Sub Stream) kompresija
- Rezolucije 1080P /1.3M /720P /D1 /VGA /CIF
- Dual Stream
- Do 25/30fps u 2MP i nižim rezolucijama
- RJ-45 (10/100Base-T) mrežni port
- Protokoli IPv4, IPv6, HTTP, TCP, UDP, ARP, RTP, RTSP, SMTP, FTP, DHCP, DNS, NTP, Multicast
- Interoperabilnost: ONVIF (Profile S/Profile T), CGI, P2P, Genetec
- SDK i API
- Storage - FTP
- Potrebno napajanje 12VDC ili PoE (802.3af)
- Potrošnja 5.1W
- Wide Voltage support  $\pm 30\%$
- Dimenzije 109.9mmx81mm
- Masa 0.35kg
- IP67
- IK10
- Radna temp. -40°C~+60°C
- Kućište od metala
- CE-LVD - EN60950-1
- CE-LVD: EN62368-1
- CE-EMC: Electromagnetic Compatibility Directive 2014/30/EU
- FCC: 47 CFR FCC Part 15, Subpart B

#### Kamera

- Senzor slike: 1/2.7 inča 2MP progressive CMOS
- Efektivni broj piksela: 1920 (H) x 1080 (V)
- RAM/ROM: 64MB / 16MB
- Sistem skeniranja: Progresivni
- Ekspozicija: Auto/Ručno 1/3 s-1/100000 s