



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

LAN MK PCI-E TP-Link Archer TXE72E WiFi 6
AX5400 dual band 2xExterna antena

Šifra: 123154

Kategorija proizvoda: Mrežne kartice

Proizvođač: TP-Link

Cena: 5.628 rsd.



Dimenzije

3,7 × 4,8 × 0,8 in (95,2 × 120,8 × 21,5 mm)

Antena Tipe

2× Tri-Band antene visokog pojačanja

BEŽIČNE KARAKTERISTIKE

Vireless Standards

IEEE 802.11a/b/g/n/ac/ak

Brzina VLAN signala

6 GHz:

11ak: Up tp 2402Mbps

5 GHz:

11ak: do 2402 Mbps (dinamički)

11ac: do 1732 Mbps (dinamički)

11n: do 300 Mbps (dinamički)

11a: Do 54 Mbps (dinamički)

2,4 GHz:

11ak: do 574 Mbps (dinamički)

11n: do 400 Mbps (dinamički)

11g: do 54 Mbps (dinamički)

11b: do 11 Mbps (dinamički)

Osetljivost VLAN prijema

6 GHz:

11ak HE160 MCS0:-86

11ak HE160 MCS11:-56

5 GHz:

11ak HE80 MCS0: -90 dBm

11ak HE80 MCS11: -59 dBm

11a 54Mbps: -77 dBm

11ac VHT80 MCS0: -92dBm

11ac VHT80 MCS9: -64dBm

2,4 GHz:

11ak HE40 MCS0: -91 dBm

11ak HE40 MCS11: -60 dBm

11g 54Mbps: -76 dBm

11n HT40 MCS7: -72dBm

LAN snaga prenosa

5 GHz: 20 dBm (FCC) /15 dBm (CE) (EIRP)

2,4 GHz: 20 dBm (FCC) / 16 dBm (CE) (EIRP)

6 GHz: 12 dBm (FCC)

VLAN režimi

Infrastrukturni režim

Vireless Securiti

VEP, VPA/VPA2/VPA3, VPA-PSK/VPA2-PSK

DRUGI

Certification

FCC, CE, RoHS

Sadržaj paketa

Archer TKSE75E V3

Magnetizovana baza antene sa RF kablom od 1m

2× antene sa visokim pojačanjem

Niskoprofilni nosač