



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

BlackView MP80 Intel N9716GB512GB3xHDMI3xUSB
3.02x RJ45BTWiFiW11P Black

Šifra: 125857
Kategorija proizvoda: Mini PC
Proizvođač: BLACKVIEW



Cena: 25.924 rsd.

BlackView MP80 Intel N97/16GB/512GB/3xHDMI/3xUSB 3.0/2x RJ45/BT/WiFi/W11P Black

| Type | Spec. | Standard Configuration |
|---------|---------------|------------------------|
| Product | Product Type | MINI PC |
| | Dimension | 87.8*87.8*37mm |
| | Case Material | Plastic |
| | Weight | 214g |

System Hardware Configuration

| Type | Spec. | Description |
|------------------|-------------------|--|
| CPU | Model | Intel Alder Lake N97 |
| | Max. Turbo Speed | 3.60 GHz |
| | Power Consumption | 15W |
| Memory | Model | LPDDR5 |
| | Capacity | 16GB (on-board RAM) |
| Storage | SSD | 512GB(M.2 2280 NGFF SSD) |
| | 2.5" SSD | No |
| | TF Card | Not supported by default |
| RTC | BIOS | Real-time Clock, Time Boot |
| Auto Power On | BIOS | Support auto power on after electrified |
| Diskless Network | BIOS | Support uefi/Legacy Diskless Switch On |
| TPM | CPU integratesTPM | Support TPM 2.0 |
| Double Display | Video Output | HDMI1+HDMI2 Double Display+HDMI 3 displays screens |
| LED | State | Blue light- Swith on Red light- Machine dorman |

Internet Connection

| Type | Spec. | Description |
|-----------|----------|--------------------------------|
| WIFI | Model | intel 7265/ RTL8821CE On Board |
| | Protocol | IEEE 802.11 a, b/g, n, ac |
| Bluetooth | Model | intel 7265/ RTL8821CE On Board |
| | Protocol | Support Bluetooth 4.2 |
| 3G | Built-in | No |

| | | |
|------------------------|---------------------|---|
| 4G | Built-in | No |
| Ethernet | LAN1 | 10M/100M/1000M Self-adaption |
| | LAN2 | 10M/100M/1000M Self-adaption |
| I/O | | |
| Type | Spec. | Description |
| USB | USB2.0 | No |
| USB | USB3.0 | USB3.0 Type-A*3 |
| TF | Expansion Memory | No |
| HDMI | AV Output | HDMI 1.4b Type A x3 |
| VGA | Video Output | No |
| RJ45 | Gigabyte Ethernet | RJ45 x2 |
| Uart | Data Transmission | No |
| POWER | Power Button | x1 |
| DC IN | Power Supply Input | 5.5/2.1mm DC Jack x1 |
| Audio-in/out | Audio-in/out | 3.5mm Phone Jack x1 (Two-in-one interface) |
| Antenna1 | FPC Antenna | WiFi 2.4+BT x1 |
| Antenna2 | FPC Antenna | WIFI 5.0 |
| SIM | Micro SIM | No Supporting |
| Software Configuration | | |
| Type | Spec. | Description |
| OS | Version | Win11 pro |
| Environment | | |
| Type | Spec. | Description |
| Environment | Working Temperature | 0~40°C |
| | Memory Temperature | -20~60°C |
| | Humidity | 90% @ 40 °C (No Condensation) |
| Accessory | | |
| Type | Spec. | Description |
| Power Supply | Vesa | Input 100~240V 50/60Hz Output12V/2.5A DC 5. |
| IR Remote Control | No | |
| VESA Mount | YES | |