



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

INNO3D GEFORCE RTX 4080 SUPER X3 16GB  
GDDR6X 256bit, 2580MHz 23Gbps, 3x DP, 1x  
HDMI, 3 slot, 3 fan ( N408S3-166X-18703552 )

---

Šifra: 126704

Kategorija proizvoda: Grafičke kartice

Proizvođač: INNO3D



**Cena: 152.524 rsd.**

Requires Expansion Slot Standard:	PCI Express 4.0 x16
Video Chipset:	Nvidia GeForce RTX 4080 Super
GPU Core Name:	AD103-300
GPU Core Speed:	2295 MHz
GPU Core Speed Boost:	2550 MHz
GPU Quantity:	1
Stream Processors Quantity:	1 x 10240
Texture Mapping Unit Quantity:	1 x 320
Render Output Units Quantity (ROP):	1 x 112
Tensor Core Quantity:	1 x 320
Ray-tracing Cores Quantity:	1 x 80
Maximum Resolution:	7680x4320
2D3D karakteristike:	<ul style="list-style-type: none"> <li>Nvidia GPU Boost</li> <li>Nvidia G-Sync</li> <li>Nvidia ShadowPlay</li> <li>Nvidia Ansel</li> <li>Nvidia DLSS</li> <li>NVIDIA FreeStyle</li> <li>NVIDIA Game Ready</li> <li>NVIDIA Studio</li> <li>NVIDIA Ada Lovelace</li> <li>NVIDIA Encoder</li> <li>4th Gen Tensor Cores</li> <li>3rd Gen Ray Tracing Cores</li> <li>NVIDIA GeForce Experience</li> <li>NVIDIA Decoder</li> </ul>
API Supports:	<ul style="list-style-type: none"> <li>DirectX 12.0</li> <li>OpenGL 4.6</li> <li>Vulkan 1.3</li> </ul>
Video Memory Type:	Video Controller Memory
Memory Type:	GDDR6X SDRAM
Installed Video Memory Storage Capacity:	1 x 16 GB
Video Memory Speed:	23 Gbps
Memory Bus Bandwidth:	1 x 256 bit
Memory Bandwidth:	1 x 736 GBs
HDMI Interface Quantity:	1
HDMI Interface Connector Type:	HDMI (Type A)
DisplayPort Interface Quantity:	3
Requires Operating System:	<ul style="list-style-type: none"> <li>FreeBSD</li> <li>Linux</li> <li>Microsoft Windows 10 or Later</li> </ul>
External Power:	3 x 8 pin
PSU Output Power Required:	750 W
Cooling System Type:	VGA Cooler
Included Accessories:	Documentation
Depth (mm):	337 mm
Height (mm):	40 mm