



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

High Speed Hair Dryer, 220V-240V~50-60Hz,  
1500W, Ionizer, LCD, 6+circulation mode,  
110000RPM, less than 75dB ( AHD0003 )

---

Šifra: 129380

Kategorija proizvoda: Fenovi

Proizvođač: AENO

**Cena: 10.198 rsd.**



Marketing Model Name: HD3  
Commercial Name: Hair Dryer HD3  
Speed Modes Quantity: 2  
Features:  
Fast drying: powerful airflow 100 km/h  
Safe for hair: intelligent thermostat NTC sensor  
Reduces frizz & enhances shine: ionic technology  
Quick-release filter for easy cleaning  
Dynamic Heat technology: perfect styling & healthy hair  
5 magnetic nozzles included  
Lightweight: 570 g  
Suitable for all hair types and hairstyles  
Highly customizable: 10 use scenarios  
Convenient LED display with temperature indication  
Professional brushless motor: durable & quiet  
Energy-efficient: 1500 Watt  
Smart temperature control

Power consumption in different modes (  
Rated power: 1450W +5% -10%  
Cold air:I : 78.9W±15% II : 120.99W±15%  
Warm air:I : 583.5W±10% II : 1025.8W±10%  
Hot air:I : 823.02W+5% -10% II : 1337.5W+5% -10%(In addition to the high-end, other gear power is for reference)

Fuse (A): 5.0A (on PCB)  
ION Power, W: 1  
>= 200 millions pcscm<sup>3</sup>  
Ionization, ioncm<sup>-3</sup>: (distance 25.4 mm)  
Air flow speed: 20.5m/s (5 modes + 4 auto cycling modes)  
Speed 1: 25-45-55  
Speed 2: 25-60-70  
Autocycling -change of temperature each 4 seconds (25 - 45, 25- 55, 25-60, 25-70)  
Number of modes:

Motor noise reduction system:  
1) Grated Intake Nozzle - This attachment is typically used to troubleshoot airflow in a specific direction, which is useful for straightening hair or styling.  
2) Styling Nozzle - Similar to the concentrator nozzle, this attachment is slightly broader, helping to distribute air over a wider area, making it suitable for general styling and drying.  
3) Comb Attachment - This comb-