



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

iiyama ProLite TF2415MC-B2 Open Frame PCAP 10  
point touch screen equipped with a foam seal  
finish for seamless integration ( TF2415MC-B2 )

---

Šifra: 130751

Kategorija proizvoda: Monitori

Proizvođač: IIYAMA



**Cena: 48.245 rsd.**

|   |  |
|---|--|
| Display Type:                                 | LCD  |
| Display Technology:                           | TFT Active Matrix  |
| Diagonal Length:                              | 24"  |
| Viewable Display Diagonal Length:             | 23.8"  |
| Type of Matrix:                               | VA   |
| Pitch Type:                                   | Dot Pitch  |
| Pitch Width:                                  | 0.2745 mm  |
| Color Support:                                | 16.7M  |
| Maximum Resolution:                           | 1920x1080  |
| Maximum Video Refresh Rate @ Max. Resolution: | 60 Hz  |
| Maximum Horizontal Scan Frequency:            | 82 kHz   |
| Minimum Horizontal Scan Frequency:            | 31.4 kHz   |
| Maximum Vertical Scan Frequency:              | 75 Hz  |
| Minimum Vertical Scan Frequency:              | 56 Hz  |
| Image Brightness:                             | 350 cd m <sup>2</sup>  |
| Image Contrast:                               | 3 000 : 1  |
| Image Max. H-View Angle:                      | 178 °  |
| Image Max. V-View Angle:                      | 178 °  |
| Response Time:                                | 16 ms  |
| OSD Languages:                                | Chinese, Dutch, English, French, Italian, Japanese, Estonian   |
| Certifications:                               | REACH SVHC,CB, CE, TÜV-Bauart, CU, cULus   |
| Image Aspect Ratio:                           | 16:9   |
| Display Features:                             | LED Backlight<br>HDCP Ready<br>Fingerprint-resistant Oleophobic Coating<br>Capacitive Multi-Touch<br>10 Point Touch-Screen |
| VGA:  | 1 (15-pin D-sub)   |
| HDMI:   | 1 (HDMI (Type A))  |
| DisplayPort:                                  | 1  |
| Audio Line-Out:                               | 1 (3.5-mm minijack)  |
| Power Device Type:                            | Power Supply   |
| Power Device Location:                        | External   |
| Power Consumption Operational:                | 25 W   |