



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Iiyama ProLite TF2415MC-B2 Open Frame PCAP 10 point touch screen equipped with a foam seal finish for seamless integration (TF2415MC-B2)

Šifra: 130751

Kategorija proizvoda: Monitori

Proizvođač: Iiyama



Cena: 60.149 rsd.

| | |
|---|--|
| Display Type: | LCD |
| Display Technology: | TFT Active Matrix |
| Diagonal Length: | 24" |
| Viewable Display Diagonal Length: | 23.8" |
| Type of Matrix: | VA |
| Pitch Type: | Dot Pitch |
| Pitch Width: | 0.2745 mm |
| Color Support: | 16.7M |
| Maximum Resolution: | 1920x1080 |
| Maximum Video Refresh Rate @ Max. Resolution: | 60 Hz |
| Maximum Horizontal Scan Frequency: | 82 kHz |
| Minimum Horizontal Scan Frequency: | 31.4 kHz |
| Maximum Vertical Scan Frequency: | 75 Hz |
| Minimum Vertical Scan Frequency: | 56 Hz |
| Image Brightness: | 350 cdm ² |
| Image Contrast: | 3 000 : 1 |
| Image Max. H-View Angle: | 178 ° |
| Image Max. V-View Angle: | 178 ° |
| Response Time: | 16 ms |
| OSD Languages: | Chinese, Dutch, English, French, Italian, Japanese, Estonian |
| Certifications: | REACH SVHC,CB, CE, TÜV-Bauart, CU, cULus |
| Image Aspect Ratio: | 16:9 |
| Display Features: | LED Backlight HDCP Ready Fingerprint-resistant Oleophobic Coating Capacitive Multi-Touch 10 Point Touch-Screen |
| VGA: | 1 (15-pin D-sub) |
| HDMI: | 1 (HDMI (Type A)) |
| DisplayPort: | 1 |
| Audio Line-Out: | 1 (3.5-mm minijack) |
| Power Device Type: | Power Supply |
| Power Device Location: | External |
| Power Consumption Operational: | 25 W |