



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

MB s1200 Gigabyte H410M H V3 G10

Šifra: 13419

Kategorija proizvoda: Matične ploče

Proizvođač: GIGABYTE

Cena: 7.921 rsd.



is processors/intel.
Core™ i7 processors/
Intel® Core™ i5
processors/Intel® Core™
i3 processors/Intel®
Pentium® processors/
Intel® Celeron®
processors in the
LGA1200 package
Memory
L3 cache varies with CPU
Intel® Core™ i9/i7
(Please refer to "CPU Support List" for more
processors.
information.)

Support for DDR4
2933/2666/2400/2133
MHz memory modules
Intel® Core™
i5/i3/Pentium®/Celeron®
processors:
Support for DDR4
2666/2400/2133 MHz
memory modules
2 x DDR4 DIMM sockets
supporting up to 64 GB
(32 GB single DIMM
capacity) of system
memory

Dual channel memory
architecture
Support for ECC Un-
buffered DIMM
1Rx8/2Rx8 memory
modules (operate in non-
ECC mode)
Support for non-ECC Un-
buffered DIMM
1Rx8/2Rx8/1Rx16
memory modules
Support for Extreme
Memory Profile (XMP)
memory modules

(Please refer "Memory Support List" for more
information.)

Audio

Realtek® Audio CODEC
High Definition Audio
2/4/5.1/7.1-channel
* To configure 7.1-
channel audio, you need
to open the audio
software and select
Device advanced
settings > Playback
Device to change the
default setting first.
Please visit GIGABYTE's
website for details on

Chipset

Intel® H510 Express
Chipset

Onboard Graphics

Integrated Graphics Processor-Intel® HD Graphics
support:

1 x D-Sub port,
supporting a maximum
resolution of
1920x1200@60 Hz

1 x HDMI port,
supporting a maximum
resolution of
4096x2160@30 Hz

* Support for HDMI 1.4
version and HDCP 2.3.

Maximum shared memory of 512 MB

(Graphics specifications may vary depending on CPU
support.)