



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: office@gstore.rs

---

## MB s1200 Gigabyte H410M H V3 G10

---

Šifra: 13419

Kategorija proizvoda: Matične ploče

Proizvođač: GIGABYTE

**Cena: 7.921 rsd.**



is processors/intel.  
Core™ i7 processors/  
Intel® Core™ i5  
processors/Intel® Core™  
i3 processors/Intel®  
Pentium® processors/  
Intel® Celeron®  
processors in the  
LGA1200 package  
Memory  
L3 cache varies with CPU  
Intel® Core™ i9/i7  
(Please refer to "CPU Support List" for more  
processors.  
information.)

Support for DDR4  
2933/2666/2400/2133  
MHz memory modules  
Intel® Core™  
i5/i3/Pentium®/Celeron®  
processors:  
Support for DDR4  
2666/2400/2133 MHz  
memory modules  
2 x DDR4 DIMM sockets  
supporting up to 64 GB  
(32 GB single DIMM  
capacity) of system  
memory

Dual channel memory  
architecture  
Support for ECC Un-  
buffered DIMM  
1Rx8/2Rx8 memory  
modules (operate in non-  
ECC mode)  
Support for non-ECC Un-  
buffered DIMM  
1Rx8/2Rx8/1Rx16  
memory modules  
Support for Extreme  
Memory Profile (XMP)  
memory modules

(Please refer "Memory Support List" for more  
information.)

## Audio

Realtek® Audio CODEC  
High Definition Audio  
2/4/5.1/7.1-channel  
\* To configure 7.1-  
channel audio, you need  
to open the audio  
software and select  
Device advanced  
settings > Playback  
Device to change the  
default setting first.  
Please visit GIGABYTE's  
website for details on

## Chipset

Intel® H510 Express  
Chipset

## Onboard Graphics

Integrated Graphics Processor-Intel® HD Graphics  
support:

1 x D-Sub port,  
supporting a maximum  
resolution of  
1920x1200@60 Hz  
1 x HDMI port,  
supporting a maximum  
resolution of  
4096x2160@30 Hz  
\* Support for HDMI 1.4  
version and HDCP 2.3.

Maximum shared memory of 512 MB

(Graphics specifications may vary depending on CPU  
support.)

LAN