



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

## MB s1851 AsRock Z890 PRO RS WIFI WHITE


---

Šifra: 143607

Kategorija proizvoda: Matične ploče

Proizvođač: ASRock

**Cena: 22.782 rsd.**



- Dual Channel DDR5

- Thunderbolt™ 4 Type-C Ports (40 Gb/s)

### Rock-Solid Durability

- 16+1+1+1+1 Power Phase, Dr. MOS for VCore+GT with Enlarged Heatsink Armor

- Memory OC Shield

- Flexible Integrated I/O Shield

### Ultrafast Connectivity

- 2.5G LAN, 802.11ax Wi-Fi 6E Module

### EZ Update

- BIOS Flashback Button

- ASRock Auto Driver Installer

### EZ Troubleshooter

- [ASRock Post Status Checker](#)

### Chipset

- Intel® Z890

### BIOS

- 256Mb AMI UEFI Legal BIOS with GUI support

### Audio

- 7.1 CH HD Audio (Realtek ALC897 Audio Codec)

- ~~Wireless LAN~~  
- Nahimic Audio

- 802.11ax Wi-Fi 6E Module

- Supports IEEE 802.11a/b/g/n/ac/ax/ax

- Supports Dual-Band 2x2 with extended 6GHz band support\*

- 2 antennas to support 2 (Transmit) x 2 (Receive)

diversity technology

### CPU

- Supports Intel® Core™ Ultra Processors (Series 2) (LGA1851RL-ILM)

- Supports Intel® Hybrid Technology

- Supports Intel® Turbo Boost Max 3.0 Technology

- Supports Intel® Thermal Velocity Boost (TVB)

- Supports Intel® Adaptive Boost Technology (ABT)

- Integrated NPU for dedicated AI acceleration

### Memory

- Dual Channel DDR5 Memory Technology

- 4 x DDR5 DIMM Slots

- Supports DDR5 non-ECC, un-buffered memory up to 9066MHz+(OC)\*

- Supports Clocked Unbuffered DIMM (CUDIMM)

- Max. capacity of system memory: 256GB

- Supports Intel® Extreme Memory Profile (XMP) 3.0x

\*1DPC 1R Up to 9066+ MHz (OC), 5600 MHz Natively.

1DPC 2R Up to 6800+ MHz (OC), 5600 MHz Natively.

2DPC 1R Up to 6533+ MHz (OC), 4800 MHz Natively.

2DPC 2R Up to 5600+ MHz (OC), 4400 MHz Natively.

Graphics

- Intel® Xe LPG Graphics Architecture

- 1 x HDMI 2.1 TMDS/FRL 8G Compatible, supports HDR, HDCP 2.3 and max. resolution up to 4K 120Hz

- 1 x DisplayPort 1.4 with DSC (compressed), supports HDCP 2.3 and max. resolution up to 8K 60Hz / 5K 120Hz

- 2 x Intel® Thunderbolt™ 4, support HDCP 2.3 and max. resolution up to 8K 60Hz / 5K 120Hz\*

\* Intel® UHD Graphics Built-in Visuals and the VGA outputs can be supported only with processors which are GPU integrated.

Supports two 4K displays or one 8K display

Only the CPU's embedded graphics can be displayed through Thunderbolt™ ports.

If you want to display to a Thunderbolt™ monitor, please use CPU models with embedded graphics.

### LAN

- 2.5 Gigabit LAN 10/100/1000/2500 Mb/s

- Dragon RTL8125BG

- Supports Dragon 2.5G LAN Software

- Smart Auto Adjust Bandwidth Control

- Visual User Friendly UI

- Visual Network Usage Statistics

- Optimized Default Setting for Game, Browser, and Streaming Modes

- User Customized Priority Control

### Slots

#### CPU:

1 x PCIe 5.0 x16 Slot (PCIe1), supports x16 mode\*