



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

MB s1851 AsRock Z890 PRO-A

Šifra: 143609

Kategorija proizvoda: Matične ploče

Proizvođač: ASRock

Cena: 21.956 rsd.



- Dual Channel DDR5
- Thunderbolt™ 4 Type-C Port (40 Gb/s)

Rock-Solid Durability

- 16+1+1+1+1 Power Phase, Dr. MOS for VCore+GT
- Memory OC Shield

Ultrafast Connectivity

- 2.5G LAN

EZ Update

- BIOS Flashback Button
- ASRock Auto Driver Installer

EZ Troubleshooter

- [ASRock Post Status Checker](#)

Chipset

- Intel® Z890

BIOS

- 256Mb AMI UEFI Legal BIOS with GUI support

Audio

- 7.1 CH HD Audio (Realtek ALC897 Audio Codec)

Slots

- CPU:
 - 1 x PCIe 5.0 x16 Slot (PCIe1), supports x16 mode*

Chipset:

- 2 x PCIe 4.0 x4 Slots (PCIe3 and PCIe4), support x4 mode*

CPU

- Supports Intel® Core™ Ultra Processors (Series 2) (LGA1851RL-ILM)
- Supports Intel® Hybrid Technology
- Supports Intel® Turbo Boost Max 3.0 Technology
- Supports Intel® Thermal Velocity Boost (TVB)
- Supports Intel® Adaptive Boost Technology (ABT)
- Integrated NPU for dedicated AI acceleration

Memory

- Dual Channel DDR5 Memory Technology
- 4 x DDR5 DIMM Slots
- Supports DDR5 non-ECC, un-buffered memory up to 9066MHz+(OC)*
- Supports Clocked Unbuffered DIMM (CUDIMM)
- Max. capacity of system memory: 256GB
- Supports Intel® Extreme Memory Profile (XMP) 3.0x

*1DPC 1R Up to 9066+ MHz (OC), 5600 MHz Natively.
 1DPC 2R Up to 6800+ MHz (OC), 5600 MHz Natively.
 2DPC 1R Up to 6533+ MHz (OC), 4800 MHz Natively.
 2DPC 2R Up to 5600+ MHz (OC), 4400 MHz Natively.

Graphics

- Intel® Xe LPG Graphics Architecture
- 1 x HDMI 2.1 TMDS/FRL 8G Compatible, supports HDR, HDCP 2.3 and max. resolution up to 4K 120Hz
- 1 x DisplayPort 1.4 with DSC (compressed), supports HDCP 2.3 and max. resolution up to 8K 60Hz / 5K 120Hz
- 1 x Intel® Thunderbolt™ 4, supports HDCP 2.3 and max. resolution up to 8K 60Hz / 5K 120Hz*

* Intel® UHD Graphics Built-in Visuals and the VGA outputs can be supported only with processors which are GPU integrated.

Supports two 4K displays or one 8K display
 Only the CPU's embedded graphics can be displayed through Thunderbolt™ ports.

If you want to display to a Thunderbolt™ monitor, please use CPU models with embedded graphics.

LAN

- 2.5 Gigabit LAN 10/100/1000/2500 Mb/s
- Dragon RTL8125BG
- Supports Dragon 2.5G LAN Software
- Smart Auto Adjust Bandwidth Control
- Visual User Friendly UI
- Visual Network Usage Statistics
- Optimized Default Setting for Game, Browser, and Streaming Modes

Storage

CPU:

- 1 x Blazing M.2 Socket (M2_1, Key M), supports type 2280 PCIe Gen5x4 (128 Gb/s) mode*
- 1 x Hyper M.2 Socket (M2_2, Key M), supports type 2280 PCIe Gen4x4 (64 Gb/s) mode*

Chipset:

- 1 x Hyper M.2 Socket (M2_3, Key M), supports type