



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

DAHUA_ IPC-PFW3849S-A180-E2-ASPV-0280B
2x4MP TiOC Duo Splicing Fixed-focal Bullet
WizSense Network kamera P

Šifra: 144087

Kategorija proizvoda: Kamere IP

Proizvođač: DAHUA



Cena: 56.605 rsd.

Audio	Mikrofon:	Ugrađen G.726, PCM, G.711a, G.711Mu, G.723
	Podržani audio formati:	Video tampering, Scene changing, Illegal access, Detekcija zvuka, BLC, HLC, WDR, 3D NR, voltage detection, Maksimalni domet IR 25m
Dodatne funkcije	Snimanje:	
Fizičke karakteristike	Dimenzije:	183.1mm × 99mm × 78mm
	Masa:	695g
	Boja:	Bela
Memorija	RAM:	1GB
	Interna:	128MB
	Podržane memorijske kartice:	MicroSD (do 256GB)
Reklamacioni period	Reklamacioni period:	24 meseca
Senzor	Tip kamere:	IP
	Rezolucija senzora:	2x 4 Megapiksela
	Veličina:	12,7 inča 4.096 × 1.860, 3.632 × 1.632, 1.200 × 530, 1.920 × 860, 960 × 432, 3.040 × 1.368
Snimanje videa	Rezolucija videa:	432, 3.040 × 1.368
	Frame rate:	1 ~ 20fps H.264, H.264B, H.264H, H.265, MJPEG, Smart H.264+, Smart H.265+, AI H.265, AI H.264
	Podržani video formati:	
Sočivo	Fokusna daljina:	802.1x, Video encryption, 2.8mm, configuration encryption, Digest, F1.4, WSSE, account lockout, security
	Fokusni koeficijent:	logs, Generation and importing of X.509 certification, HTTPS, trusted boot, trusted execution, trusted upgrade, Firmware encryption, IPMAC filtering, Syslog
Zaštita	Ostalo:	
Žična mreža	Protok žične mreže:	RI-45 (10/100Mbps Base-T) IPv4, ARP, TCP, UDP, ICMP, RTSP, RTP, RTCP, IPv6, HTTP, FTP, NTP, SMTP, DNS, DDNS, PPPOE, DHCP, IGMP, SNMP, QoS, Multicast, NFS, SFTP, RTMP, SAMBA, UPnp, P2P
	Protokoli:	