



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Maticna ploca 1700 Gigabyte B760M D3HP WIFI6
DDR5 VGAHDMIDPM.2

Šifra: 145340

Kategorija proizvoda: Matične ploče

Proizvođač: GIGABYTE



Cena: 14.193 rsd.

CPU	LGA1700 socket: Supports 14th, 13th, and 12th Generation Intel® Core™, Pentium® Gold, and Celeron® Processors (Check GIGABYTE's website for the latest CPU support list.) L3 cache varies with CPU
Chipset	Intel® B760 Express Chipset
Memory	14th & 13th Gen Intel® Core™ i9/i7: DDR5 5600/5200/4800/4400 MT/s; 13th Gen Intel® Core™ i5/i3 & 12th Gen Intel® Core™, Pentium® Gold, and Celeron®: DDR5 4800/4400 MT/s
	4 x DDR5 DIMM sockets, up to 192 GB (48 GB per DIMM)
	Dual channel memory architecture
	Supports ECC Un-buffered DIMM 1Rx8/2Rx8 memory modules (non-ECC mode)
	Supports non-ECC Un-buffered DIMM 1Rx8/2Rx8/1Rx16 memory modules
	Supports Extreme Memory Profile (XMP)
Onboard Graphics	Intel® HD Graphics support
	1 x D-Sub (1920x1200@60Hz max), 1 x HDMI (4096x2160@60Hz max) with HDMI 2.1 and HDCP 2.3
	1 x DisplayPort (4096x2304@60Hz max), DisplayPort 1.2 and HDCP 2.3
	Supports up to triple-display
Audio	Realtek® Audio CODEC, High Definition Audio, 2/4/5.1/7.1-channel
	Supports S/PDIF Out

LAN	Realtek® GbE LAN chip (1 Gbps/100 Mbps/10 Mbps)
Wireless Communication	Realtek® Wi-Fi 6 RTL8851BE: WIFI a/b/g/n/ac/ax, 2.4/5 GHz frequency, Bluetooth 5.3
	Supports 11ax 80MHz wireless standard
Expansion Slots	1 x PCIe x16 (PCIe 4.0, x16) for graphics or NVMe SSD
	2 x PCIe x1 (PCIe 3.0, x1)
Storage Interface	1 x M.2 (Socket 3, M Key, 2280 PCIe 4.0 x4/x2 SSD)
	1 x M.2 (Socket 3, M Key, 2280 PCIe 4.0 x4/x2 SSD)
	4 x SATA 6Gb/s
	RAID 0, RAID 1, RAID 5, RAID 10 support
USB	1 x USB Type-C® (USB 3.2 Gen 1, internal)
	5 x USB 3.2 Gen 1 (3 on the back panel, 2 internal)
	2 x USB 2.0/1.1 ports (back panel)
	4 x USB 2.0/1.1 ports (internal)
Internal I/O Connectors	1 x 24-pin ATX main power connector
	1 x 8-pin ATX 12V power connector
	1 x CPU fan header
	3 x system fan headers
	1 x addressable LED strip header
	1 x RGB LED strip header
	2 x M.2 connectors, 4 x SATA 6Gb/s
	1 x front panel header
	1 x USB Type-C® header (USB 3.2 Gen 1)