



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

ASROCK Main Board Desktop H310CM-HDV
(S1151, 2xDDR4,1xPCIe x16,1xPCI Ex1, 4 SATA3
,GLAN,VGA,DVI,HDMI,USB 3.1) mATX retail (H310CM-HDV)

Šifra: 15618

Kategorija proizvoda: Matične ploče

Proizvođač: ASRock

Cena: 7.191 rsd.



| | |
|--|---|
| Chipset: | Intel H310 Intel Celeron Intel Pentium Intel Core i5 Intel Core i3 Intel Core i7 |
| Supports Central Processor Unit: | Intel Core i7 |
| CPU Socket Standard: | Socket 1151 |
| CPU Maximum Quantity Supports: | 1 |
| Memory Type: | DDR4 SDRAM |
| Memory Form Factor: | DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 2666MHz(PC4-21300) |
| Memory Speed: | 2666MHz(PC4-21300) |
| Maximum Installable System Memory Storage Capacity: | 64 GB |
| Memory Slot Total Quantity: | 2 |
| Provides Error Checking Method: | Non-ECC Two DDR Channels Unbuffered |
| Memory Features: | XMP 2.0 |
| Integrated: | Storage Controller: SATA (4) |
| Audio Integrated: | yes |
| Device Location: | Integrated |
| Audio Chipset: | Realtek ALC887 |
| Audio Output Mode: | 7.1 Channel Surround High Definition Audio |
| Compliant Audio Standards: | ELNA Premium Audio Capacitors |
| LAN Integrated: | yes |
| LAN Chipset: | Realtek RTL8111H Gigabit EthernetFast |
| Data Link Protocol Supports: | EthernetEthernet |
| PCI Express 3.0 x16: | 1 |
| PCI Express 2.0 x1: | 1 |
| PS2: | 1 |
| VGA: | 1 (15-pin D-sub) |
| DVI: | 1 (DVI-D) |
| USB 3.1 Gen 1: | 2 (USB 3.1 (type A)) |
| USB 2.0: | 4 (4-pin USB (type A)) |
| LAN: | 1 (RJ-45) |
| Audio Interface: | 3 (3.5-mm minijack) |
| HDMI: | 1 (HDMI (Type A)) |