



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

SSD INTENSO 3812430 128GB/2,5"

Šifra: 18018

Kategorija proizvoda: SSD diskovi

Proizvođač: INTENSO

Cena: 4.300 rsd.



Features

SSD capacity

The Solid State Drive's data storage capacity.

128 GB

SSD form factor

The size of the solid-state drive, given in inches

2.5"

Interface

Interface ports to connect pieces of equipment. USB (Universal Serial Bus) has become the most popular wired interface to connect peripherals. USB 2.0 supports speeds up to 480 Mbit/s (USB 1: 12 Mbit/s). The interface FireWire is also known as the IEEE 1394 standard. Enhanced IDE (EIDE) is sometimes referred to as Fast ATA, Fast IDE or ATA-2.

Serial ATA III

NVMe

NVM Express (NVMe) or Non-Volatile Memory Host Controller Interface Specification (NVMHCI) is an open logical device interface specification for accessing non-volatile storage media attached via a PCI Express (PCIe) bus. NVM Express, as a logical device interface, has been designed to capitalize on the low latency and internal parallelism of solid-state storage devices.

Memory type

Type of memory in the device e.g. DDR3, SRAM (Static RAM).

MLC

Component for

What this product is used as a part of (component for).

PC/Laptop

Data transfer rate

Rate at which data can be transferred. Usually expressed in units per second. May vary with network configurations.

6 Gbit/s

Read speed

The speed at which a device can read data.

550 MB/s

Write speed

The speed at which a device can write data.

500 MB/s

Random read (4KB)

133120 IOPS

Random write (4KB)

128000 IOPS

Storage drive buffer size

256 MB

S.M.A.R.T. support

TRIM support

Features

Mean time between failures (MTBF)

Statistical model used to indicate product/mechanism reliability; expressed in hours and percentage of duty cycle. This number (in hours) does not indicate the mean time before failure for a single unit/mechanism.

2000000 h

Weight & dimensions