



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Maticna ploca AM4 Biostar B450MH VGA/HDMI/M.2

Šifra: 20211

Kategorija proizvoda: Matične ploče

Proizvođač: BIOSTAR



Cena: 6.975 rsd.

Chipset	AMD B450
CPU SUPPORT	Supports AMD AM4 Socket for 3 rd , 2 nd and 1 st Gen Ryzen/2 nd and 1 st Gen Ryzen with Radeon Vega Graphics/Athlon with Radeon Vega Graphics Processors ?Please refer to www.biostar.com.tw for CPU support list.
MEMORY	Support Dual Channel DDR4 1866/ 2133/ 2400/ 2667/ 2933/ 3200(OC) MHz 2 x DDR4 DIMM Memory Slot Max. Supports up to 32GB Memory Each DIMM supports non-ECC 8/16 GB DDR4 module ?Please refer to www.biostar.com.tw for Memory support list.
INTEGRATED VIDEO	By CPU model Supports DX12 Supports HDCP
STORAGE	4 x SATA III Connectors (6Gb/s) : - Supports AHCI & RAID 0, 1, 10 1 x M.2 (M Key) 32Gb/s Connector: - Supports PCIe (32Gb/s) & SATA III (6Gb/s) SSD (Ryzen series - Summit Ridge / Pinnacle Ridge / Raven Ridge) - Supports SATA III (6Gb/s) SSD (A-series APU - Bristol Ridge)
LAN	Realtek RTL8111H - 10/100/1000Mb/s Controller Support Super LAN Surge Protection
AUDIO CODEC	ALC887 7.1 Channels, High Definition Audio
USB	6 x USB 3.2 Gen1 ports (4 on rear I/Os and 2 via internal headers) 6 x USB 2.0 ports (2 on rear I/Os and 4 via internal headers)
EXPANSION SLOT	2 x PCIe 2.0 x1 Slots 1 x PCIe 3.0 x16 Slot (When using APU, the bandwidth is x8 speed)
REAR I/O	1 x PS/2 Keyboard/Mouse 4 x USB 3.2 Gen1 (5Gb/s) Ports 2 x USB 2.0 Ports 1 x HDMI Port 1 x VGA Port 1 x LAN Port 3 x Audio Jacks

INTERNAL I/O	1 x USB 3.2 Gen1 Header(5Gb/s) (each header supports 2 USB 3.2 Gen1 ports) 1 x USB 3.2 Gen1 Header(each header supports 2 USB 3.2 Gen1 ports) 2 x USB 2.0 Headers (each header supports 2 USB 2.0 ports) 4 x SATA III Connectors (6Gb/s) 1 x Front Audio Header 1 x Front Panel Header 1 x CPU Fan Connector 1 x System Fan Connector 1 x 8-Pin Power Connector 1 x 24-Pin Power Connector 1 x Clear CMOS Header 1 x COM Port Header
H/W MONITORING	CPU / System Temperature Monitoring CPU / System Fan Monitoring Smart / Manual CPU Fan Control CPU/DDR Voltage Monitoring
DIMENSION	Micro ATX Form Factor Dimension: 19.8cm x 24.4cm (W x L)
OS SUPPORT	Supports Windows 10(64bit) / 11(64bit) Windows 7(64bit) for Bristol Ridge/ Summit Ridge/ Pinnacle Ridge only7(64bit) / 10(64bit) ?Biostar reserves the right to add or remove support for any OS with or without notice.
BUNDLE SOFTWARE	BullGuard Smart Speed LAN
ACCESSORIES	2 x SATA Cable 1 x I/O Shield 1 x DVD Driver 1 x Quick Guide