



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Tenda AP5 N300 WiFi access point 200mw
ruter/WISP/repeater/client/ WPS 2xL Detachable
3x5dBi, POE

Šifra: 26454

Kategorija proizvoda: Ruteri

Proizvođač: TENDA



Cena: 4.913 rsd.

Dimension148*146.2*31.5mm

Standard&ProtocolIEEE 802.11n/g/b

Interface2 * 10/100M Ethernet Port (RJ45)

Antenna3*5dBi Detachable Omni Directional (RP-SMA) skidajuće antene !

Button1*Reset

1*Range Extender

Power MethodDC 12V=1A Passive PoE

Passive PoE power supplyUp to 40 meters Passive PoE is supported(cat5e or up)

Reception Sensitivityb mode: 1M -89dBm@8%

11M -87dBm@8% PER

g mode: 54M -74dBm@8% PER; n mode: 72.2M -74dBm@8% PER

150M -72dBm@8% PER

LEDSYS,WPS,Bridge,WiFi,LAN1,LAN2

Hardware DeploymentDesktop/Wall Mount

Frequency Range2.4GHz-2.483GHz

LAN SettingsStatic IP

Dynamic IP

DHCP ServerDHCP Server

Clients list

Wireless Rate11n: Up to 300Mbps(dynamic)

11g: Up to 54Mbps(dynamic)

11b: Up to 11Mbps(dynamic)

Operating ModeAccess Point

Universal Repeater

Station(Client)

WISP (Client+Router)

Client+AP

Wireless Function8 SSID

Enable/Disable Wireless Radio

Broadcast SSID

SSID Hidden automatically when exceed client limit

Client limit for SSID

Transmission output power

AP isolation

RSSI threshold for wireless clients

WMM capable

APSD capable

Access control based mac address

Wireless Client list

VLAN for multi SSID