



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Cudy FS1006P 6-Port 10/100M PoE+ Switch, 60W
internal max 32W/PoE, UPLINK, 250m, 4KV
protection



Šifra: 27201

Kategorija proizvoda: Switch uređaji

Proizvođač: CUDY

Cena: 2.326 rsd.

(Alternative : Tenda TEF1106P-4-63W)

6-Port 10/100M PoE+ Switch

Complies with IEEE802.3af/at Standard

Supports PoE power up to 32W for each PoE port

Auto detect non PoE device and PoE device

Power prioritization guarantee power supply of key nodes

CCTV/VLAN mode switch, remote power and data up to 250m

Supports IEEE802.3 x full duplex / half duplex flow control

Supports storage and forward for Data exchange

Specifications

Model FS1006P

PoE standard IEEE802.3af/at

Interface 6*10/100Mbps RJ45 port

key function CCTV

PoE port 1-4

PoE Total 60W

Power supply 65W

RJ45 PoE power supply Mode A Anode1/2 Cathode3/6

PoE output-port Max 32W

Indicator PWR, LNK/ACT, PoE

Network media 10BASE-T: UTP category 3, 4, 5 cable(?100m);100BASE-TX: UTP category 5, 5e cable(?100m)

MAC Address Table 2K, Automatic study, automatic updates

jumbo frame 1528K Bytes

Packet buffer 768K bit

Transfer Mode Store-and-forward

Packet forwarding rate 0.89Mpps

Bandwidth 1.2Gbps

Fan Fanless

Device Dimension 168*93*32mm

Machine weight 1kg

Input Voltage AC 100-240V 50/60Hz

Output Voltage DC:55V/1.5A

Operating Temperature 0°C ~ 40 °C

Storage Temperature -40 °C ~ 70 °C

Operating Humidity 10% ~ 90% non-condensing

Storage Humidity 5% ~ 90% non-condensing

Surge Protection ±4KV

Certification CE, FCC Class A