



Firma: G Store & Repair doo

Adresa: Bul.Mihajla Pupina 10z/3

Telefon: 011 785 66 66

Fax:

PIB: 112029009

E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

Cudy POE300 60W Gigabit PoE+/PoE Injector,  
802.3at/802.3af Standard, Data&Power 100  
Meters

Šifra: 27207

Kategorija proizvoda: PoE Adapteri

Proizvođač: CUDY



**Cena: 3.042 rsd.**

Model	POE300 2.0
Podržani 802.3 protokoli	802.3i 10 Mbps, 802.3u 100 Mbps, 802.3ab 1 Gbps, 802.3af PoE, 802.3at PoE, 802.3bt PoE
PoE Uplink Stream	1× GbE
PoE Downlink Stream	1× GbE, 802.3af/at/bt
Downlink Pin Assignment	Four-Pair
Maksimalna udaljenost prenosa	Cat. 5e+ kabel: 100 m (ukupna dužina segmenta od uplink switch-a do PoE uređaja)
LED indikatori	Power, PoE Wattage
Priključci za napajanje	AC Inlet
Način napajanja	AC
Ulaz napajanja	100-240V~, 50/60Hz, 1.5A

Maksimalni izlaz napajanja	60W, 54V?1.11A
Zaštita napajanja	Surge, ESD, Overvoltage, Short-Circuit
EMC zaštita	IEC/EN 61000-4-2 Level 3 ESD: Kontakt 6kV, Vazduh 8kVIEC/EN 61000-4-5 Above Level 4 Surge: DM 4kV, CM 4kV; RJ45: CM 4kV
Metode uzemljenja	Grounding Point, Three-Prong Plug
Radna temperatura	-10 °C ~ 40 °C
Temperatura skladištenja	-40 °C ~ 70 °C
Radna vlažnost	10% ~ 90% bez kondenzacije
Vlažnost pri skladištenju	10% ~ 95% bez kondenzacije
Certifikati	FCC, CE
Dimenzije	178 × 80 × 46 mm
Materijal kućišta	Metal
Težina	628 g
Instalacija	Desktop, Wall-mount
Sadržaj pakovanja	POE300, Power Cord, Mounting Kit, Installation Guide