



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---





Cudy POE500 30W 2.5Gbps PoE+/PoE Injector,  
802.3at/802.3af, 10M/100M/1000M/2.5G LAN  
Ports, 100m

---

Šifra: 27208

Kategorija proizvoda: PoE Adapteri

Proizvođač: CUDY



**Cena: 2.570 rsd.**

2.5Gbps PoE/PoE+ Injector

? Up to 30W Power Supply

? Supports 10/100/1000/2.5G Base-T applications

? LED indicators power input and PoE output

? Internal AC/DC converter no need for external power brick

? Easy plug-and-play installation

? Multi-protection

Specification

Model POE500

Power AC 100-240 V

Ethernet 1\*10/100/1000M/2.5G Ethernet Port

1\*10/100/1000M/2.5G PoE Port

Network protocol IEEE802.3 (10Base-T)

IEEE802.3u (100Base-TX)

IEEE802.3ab (1000Base-TX)

IEEE802.3bz (2.5GBase-T)

IEEE802.3x (Flow control)

PoE protocol

IEEE802.3af (15.4 W)

IEEE802.3at (25.4 W)

Industry Standard EMI: FCC Part 15 CISPR (EN55032) class A

EMS: EN61000-4-2 (ESD)?EN61000-4-4 (EFT)

Shock: IEC 60068-2-27

Free Fall: IEC 60068-2-32

Vibration: IEC 60068-2-6

Network Medium 10Base-T : Cat3?4?5 or above UTP(?100m)

100Base-TX : Cat5 or above UTP(?100m)

1000Base-TX : Cat5 or above UTP(?100m)

Working Environment

Working Temperature:0~40°C

Storage Temperature:-40~80°C