



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Netis E3 AC1200 WiFi Range Extender, Dual Band
2.4+5Ghz, 2x 3dBi/2.4G + 3dBi/5G, 1xLAN,
AP/WPS/REP

Šifra: 28757

Kategorija proizvoda: Ruteri

Proizvođač: NETIS



Cena: 2.528 rsd.

AC1200 Wireless Dual Band Range Extender

The Stonet AC1200 Wireless dual band range extender E3 is designed to establish a highly efficient mobile office or entertainment network with wider coverage. E3 works as a Range Extender in default, which will pick up the wireless signal from your main router and expand it to somewhere that your main router may not reach. With portable design, it's a perfect choice for big house owners or anyone else for work or play.

- Excellent wireless AC with dual band speed of 1167Mbps
- Range Extender mode extending your existing wireless coverage to eliminate Wi-Fi dead zones
- Smart Signal indicator helps to locate the range extender in a right place
- WPS button for quick extender setup to connect your main router within seconds
- Stylish portable design with built-in power adapter, ideal for travel and home use
- US, EU plugs available
- Intelligent bandwidth control to manage the bandwidth usage for each computer reasonably
- Internet Access Control- IP filtering, MAC Filtering, Domain Filtering based on time
- Quick setup, with built-in multilingual management page

Wireless

Standards

IEEE 802.11b/g/n 2.4GHz

IEEE 802.11a/n/ac 5GHz

Signal Rate

Up to 300Mbps 2.4GHz

Up to 300Mbps 5GHz

Frequency Range 2.4-2.4835GHz and 5.150~5.85GHz

Transmit Power 20dBm(MAX)

Data Transfer Rates

802.11n:

40MHz (300Mbps, 270Mbps, 240Mbps, 180Mbps, 120Mbps, 90Mbps, 60Mbps, 30Mbps)

20MHz (144Mbps, 130Mbps, 115Mbps, 86Mbps, 57Mbps, 43Mbps, 28Mbps, 14Mbps) (Auto-Sense)

801.11g:

(54Mbps, 48Mbps, 36Mbps, 24Mbps, 18Mbps, 12Mbps, 11Mbps, 9Mbps, 6Mbps)

802.11b:

(11Mbps, 9Mbps, 6Mbps, 5.5Mbps, 2Mbps, 1Mbps)

Wireless Modes AP, Repeater

Wireless Security Support 64/128-bit WEP, WPA-PSK/WPA2-PSK (TKIP/AES)

Hardware

Standards