



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Matična ploča 1200 Biostar Z490GTN
HDMI/VGA/M.2

Šifra: 3053

Kategorija proizvoda: Matične ploče

Proizvođač: BIOSTAR



Cena: 17.094 rsd.

Tip procesora:	Intel
Podnožje:	Intel®; 1200
Čipset:	Intel®; Z490
Format ploče:	Support for 10th/11th Generation Mini ITX Intel® Core™ i9 processorsIntel® Core™ i7 processorsIntel® Core™ i5 processorsIntel® Core™ i3 processorsIntel® Pentium® processorsIntel® Celeron® processors in the LGA1200 package
Podržani procesori:	
Podržana memorija:	Supports Dual Channel DDR4 DDR4 2133 2400 2666 2800 2933 Supports Dual Channel DDR4 3200(OC) 3600(OC) 3800(OC) 4000(OC) 4400+(OC) 2 x DDR4 DIMM Memory Slot, Max. Supports up to 64 GB Memory Each DIMM supports non-ECC 4 8 16 32GB DDR4 module Support for Extreme Memory Profile (XMP) memory modules
Memorija:	
Integrirana grafička karta:	By CPU model
Slotovi za proširenje:	Total supports 1 x M.2 slots and 1 x PCIe 3.0 x 16 Slot 4x SATA III (6Gbs)ports 4 x SATA III (6Gbs) : Supports AHCI, RAID 0, 1, 5, 10 & Intel Rapid Storage Technology 1 x M2_32G_1 socket , with M key, type 22422260228022110 storage devices support SATA & PCIE 3.0 x 4 modelIntel Optane Technology
Storage:	
Mrežna karta:	Intel i219V 10 100 1000 Mbs auto negotiation, Half Full duplex capability
Zvučna karta:	ALC892 7.1 Channels, High Definition Audio, Hi-Fi(Front) 6 x USB 3.2 (Gen1) ports (4 on rear IOs and 2 via internal header) 4 x USB 2.0 ports (2 on rear IOs and 2 via internal headers)
USB:	2 x WiFi Antenna Ports (Optional) 1 x PS2 Keyboard Mouse 1 x HDMI Port 1 x VGA Port 1 x LAN 4 x SATA III Connectors (6Gbs) 1 Port 2 x USB 2.0 Ports 4 x USB 3.2(Gen1) Ports 3 x Audio Jack 2230 type WiFi & Bluetooth module and Intel CNVi 1 x USB 2.0 Header (each header supports 2 USB 2.0 ports) 1 x USB 3.2 (Gen1) Header (each header supports 2 USB 3.2 (Gen1) ports) 1 x 8-Pin Power Connector 1 x 24- Pin Power Connector 1 x CPU Fan Connector 1 x CPU water cooling
Konektori na zadnjoj strani:	