



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

## Matična ploča AM4 Biostar A520MH VGA/HDMI/M.2

---

Šifra: 3748

Kategorija proizvoda: Matične ploče

Proizvođač: BIOSTAR

**Cena: 7.265 rsd.**



Tip procesora:	AMD
Čipset:	AMD&reg; A520
Format ploče:	Micro-ATX Socket AM4 support AMD 3rd Gen Ryzen™ (Matisse Renoir) processors and Ryzen™ 4th Gen (Vermeer) processors Support for future AMD Ryzen processors with BIOS update
Podržani procesori:	3rd Gen AMD Ryzen Processors (Matisse CPUs) Supports for DDR4
Podržana memorija:	DDR4 4400+(OC) 4000(OC) 3800(OC) 3600(OC) 3200 2933 2667 2400 2133 1866 3rd Gen AMD Ryzen with Radeon Graphics Processors (Renoir APUs) Supports for DDR4 4933+(OC) 4800(OC) 4600(OC) 4400(OC) 4000(OC) 3800(OC) 3600(OC) 3200 2933 2667 2400 2133 1866 2 x DDR4 DIMM Memory Slot, Max. Supports up to 64 GB Memory Each DIMM supports non-ECC 8 16 32 GB
Memorija:	DDR4 module
Integrirana grafička karta:	By CPU model Supports DX12 Supports HDCP 1.4 PCI 16 Slot: Supports PCIe 3.0 x 16 mode with AMD Ryzen™ processors. (Matisse only) Supports PCIe 3.0 x 16 mode AMD Ryzen™ with Radeon Vega Graphics processors. (Renoir only) 2 x PCIe 3.0 x 1 Slots
Slotovi za proširenje:	4 x SATA III Connectors (6Gbs) : Supports AHCI & RAID 0, 1, 10 1 x M.2 (M Key) Socket: Supports M.2 Type 2242 2260 2280 SSD module Supports PCIe 3.0 x 4 (32Gbs) - NVMe AHCI SSD
Storage:	Supports SATA III (6.0Gbs) SSD
Mrežna karta:	Realtek RTL8111H 10 100 1000 Mbs auto negotiation, Half Full duplex capability Supports Super LAN Surge Protection
Zvučna karta:	ALC887 7.1 Channels, High Definition Audio, Hi-Fi (Front) 6 x USB 3.2 (Gen1) ports (4 on rear IOs and 2 via internal headers) 6 x USB 2.0 ports (2 on rear IOs and 4 via internal headers)
USB:	
Konektori na zadnjoj strani:	1 x PS2 Keyboard 1 x PS2 Mouse 1 x HDMI Port 1 x VGA Port 1 x LAN port 4 x USB 3.2 (Gen1) Ports 4 x SATA III (6.0Gbs) Connectors 2 x USB 2.0 Ports 3 x Audio Jack 2 x USB 2.0 Header (each header supports 2 USB 2.0 ports) 1 x USB 2.0 (Gen 1) Header (each header supports 1 USB 2.0 port)