

**SSD M.2 128GB TwinMOS 580MBs550MBs  
NGFFDGBM2280**Šifra: 49816  
Kategorija proizvoda: SSD diskovi  
Proizvođač: TWINMOS**Cena: 2.136 rsd.**

|                                      |  |
|--------------------------------------|--|
| <b>Brand</b>                         | <a href="#">TwinMOS</a>  |
| <b>Capacity</b>                      | 128GB  |
| <b>Compatible OS</b>                 | Linux 2.4+, Mac 10.1+, Windows 10, Windows 7, Windows ME, Windows Vista, Windows XP, Windows® 2000 |
| <b>Form Factor</b>                   | <a href="#">M.2 2280</a>   |
| <b>Interface</b>                     | <a href="#">SATAIII</a>  |
| <b>Sequential Read Speed</b>         | Up to 580 MB/s   |
| <b>Sequential Write Speed</b>        | Up to 550 MB/s   |
| <b>Random Read Speed (4K files)</b>  | Up to 260 MB/s   |
| <b>Random Write Speed (4K files)</b> | Up to 270 MB/s   |
| <b>Color</b>                         | Black  |
| <b>NAND Flash Brand</b>              | Micron/ Hynix  |
| <b>NAND Type</b>                     | TLC 3D NAND  |
| <b>SSD Controller Brand</b>          | SMI  |
| <b>Endurance</b>                     | 1000 TB or 900 GB/Day  |
| <b>Bridge Controller MTBF</b>        | >1,000,000 hours   |
| <b>Power Loose Protection</b>        | Yes  |
| <b>SMART</b>                         | Yes  |
| <b>Bad Block management</b>          | Failed Blocks of Flash will be replaced with new ones by the SSD                                   |
| <b>Wear Leveling</b>                 | Static and dynamic wear-leveling algorithm   |
| <b>Low density parity check</b>      | Yes  |