



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

## MB AM4 GIGABYTE B550 AORUS ELITE AX rev. 2.0

---

Šifra: 50335

Kategorija proizvoda: Matične ploče

Proizvođač: GIGABYTE

**Cena: 18.122 rsd.**



AMD Socket AM4,  
support for: AMD Ryzen™  
5000 Series/ Ryzen™  
5000 G-Series/ Ryzen™  
4000 G-Series and  
4 x DDR4 DIMM sockets  
supporting up to 128 GB  
processors  
(32 GB single DIMM  
capacity) of system  
memory

Support for DDR4  
4733(O.C.) / 4600(O.C.) /  
4400(O.C.) / 4266(O.C.) /  
4133(O.C.) / 4000(O.C.) /  
3866(O.C.) / 3733(O.C.) /  
3600(O.C.) / 3466(O.C) /  
3400(O.C.) / 3200 / 2933  
/ 2667 / 2400 / 2133 MHz  
memory modules

Dual channel memory  
architecture

Support for ECC Un-  
buffered DIMM  
1Rx8/2Rx8 memory  
modules\*  
\* ECC memory (ECC  
mode) support varies by  
CPU

Support for non-ECC Un-  
buffered DIMM  
1Rx8/2Rx8/1Rx16  
memory modules

Support for Extreme  
Memory Profile (XMP)  
memory modules

(Please refer "Memory Support List" for more  
information.)

Chipset  
AMD B550

Onboard Graphics

Integrated Graphics Processor:

1 x DisplayPort,  
supporting a maximum  
resolution of  
5120x2880@60 Hz  
\* Support for DisplayPort  
1.4 version, HDCP 2.3,  
and HDR.

1 x HDMI port,  
supporting a maximum  
resolution of  
4096x2160@60 Hz  
\* Support for HDMI 2.1  
version, HDCP 2.3, and  
HDR.

Maximum shared memory of 16 GB

Audio

Realtek® ALC1200 codec  
High Definition Audio  
2/4/5.1/7.1-channel  
Support for S/PDIF Out

Expansion Slots

1 x PCI Express x16 slot (PCIEX16), integrated in the

Realtek® 2.5GbE LAN

AMD Ryzen™ 5000

Series and Ryzen™ 3000

Series Processors

support PCIe 4.0 x16  
mode

AMD Ryzen™ Ryzen™

5000 G-Series and

Ryzen™ 4000 G-Series

Processors support PCIe  
3.0 x16 mode

\* For optimum  
performance, if only one  
PCI Express graphics  
card is to be installed, be