



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

GIGABYTE Z690M A ELITE AXDDR4 rev. 1.x

Šifra: 50472

Kategorija proizvoda: Matične ploče

Proizvođač: GIGABYTE

Cena: 34.587 rsd.



	Model:	Realtek®
Audio	Napomena:	Podrška za SPDIF izlaz: 2.133MHz, 2.400MHz, 2.666MHz, 2.800MHz, 2.933MHz, 3.000MHz, 3.133MHz, 3.300MHz (O.C.), 3.400MHz (O.C.), 3.466MHz (O.C.), 3.600MHz (O.C.), 3.666MHz (O.C.), 3.733MHz (O.C.), 3.800MHz (O.C.), 3.866MHz (O.C.), 4.000MHz (O.C.), 4.133MHz (O.C.), 4.266MHz (O.C.), 4.300MHz (O.C.), 4.400MHz (O.C.), 4.500MHz (O.C.), 4.600MHz (O.C.), 4.700MHz (O.C.), 4.800MHz (O.C.), 4.933MHz (O.C.), 5.000MHz (O.C.), 5.133MHz (O.C.), 5.333MHz (O.C.)
Fizičke karakteristike	Tip memorije:	DDR4
	Format:	microATX
	Memorijski slotovi:	4x200MHz
	Dimenzije:	244mm x 244mm
	Podržane memorije:	3.333MHz (O.C.), 3.400MHz (O.C.), 3.466MHz (O.C.), 3.600MHz (O.C.), 3.666MHz (O.C.), 3.733MHz (O.C.), 3.800MHz (O.C.), 3.866MHz (O.C.), 4.000MHz (O.C.), 4.133MHz (O.C.), 4.266MHz (O.C.), 4.300MHz (O.C.), 4.400MHz (O.C.), 4.500MHz (O.C.), 4.600MHz (O.C.), 4.700MHz (O.C.), 4.800MHz (O.C.), 4.933MHz (O.C.), 5.000MHz (O.C.), 5.133MHz (O.C.), 5.333MHz (O.C.)
Memorija		
	Žična mreža (LAN):	1x 1010010002500 Mbps (2.5GbE)
Mreža	Model:	Intel®
	Wi-Fi:	Da
Osnovne karakteristike	Procesorsko ležište (socket):	Intel® 1700
	Čipset:	Intel® Z690
Priključci na zadnjem panelu	DisplayPort priključci:	1x DisplayPort
	HDMI priključci:	1x HDMI
	Ukupno USB priključaka:	10
Reklamacioni period	Reklamacioni period:	36 meseci
	SATA priključci (ukupno):	6
Skladišni interfejs	SATA priključci:	6 x SATA 6Gbs
	Ostali skladišni interfejs:	3x M.2 Socket 3 (SSD)
Slotovi	PCI Express x16 slot:	1x PCI Express 3.0 (x4 mode), 1x PCI Express 5.0 (x16 mode)
	Multi-card podrška:	AMD CrossFire™, AMD Quad CrossFire™ 1x 24-pin ATX main power connector, 1x ATX 4pin (EPS 12V), 1x ATX 8pin (EPS 12V)
Unutrašnji priključci	Naponski priključci:	1 (podrška za 1 USB 3.2 Gen 2 Tip C porta), 1 (podrška za 4 USB 3.2 Gen 1 porta)
	USB 3.2:	1 (podrška za 1 USB 3.2 Gen 2 Tip C porta), 1 (podrška za 4 USB 3.2 Gen 1 porta)
	USB 2.0:	2 (podrška za 4 USB 2.0 porta)