



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Wireless Access Point TP-Link EAP653 Omada AX3000 Wi-Fi 6MU-MIMOGigabit PoE+ LAN

Šifra: 51450

Kategorija proizvoda: Access Point

Proizvođač: TP-Link



Cena: 15.089 rsd.

Interfejs:	1× Gigabit Ethernet (RJ-45) Port (supports IEEE802.3at PoE)
Dugme:	Reset
Napajanje:	<ul style="list-style-type: none">• 802.3at PoE• 12V DC (Power Adapter included) (EU Version: 12 V / 1.0 A DC. US Version: 12 V / 1.5 A DC)• 48V Passive PoE
Potrošnja:	<ul style="list-style-type: none">• EU: 13.5 W• US: 14.7 W
Dimenzije (ŠxDxV):	160 × 160 × 33.6 mm
Tip antene:	Internal Omni <ul style="list-style-type: none">• 2.4 GHz: 2× 4 dBi• 5 GHz: 2× 5 dBi
Wireless standardi:	IEEE 802.11ax/ac/n/g/b/a
Frekvencija:	2.4 GHz i 5 GHz

Brzina signala:

- 5 GHz: Up to 2402 Mbps
- 2.4 GHz: Up to 574 Mbps

Wireless funkcije:

- 1024-QAM
- 4× Longer OFDM Symbol
- OFDMA
- Multiple SSIDs (Up to 16 SSIDs, 8 for each band)
- Enable/Disable Wireless Radio
- Automatic Channel Assignment
- Transmit Power Control (Adjust Transmit Power on dBm)
- QoS(WMM)
- MU-MIMO
- HE160 (160 MHz Bandwidth)‡
- Seamless Roaming §
- Omada Mesh§
- Band Steering
- Load Balance
- Airtime Fairness
- Beamforming
- Rate Limit
- Reboot Schedule
- Wireless Schedule
- Wireless Statistics based on SSID/AP/Client

Wireless zaštita:

- Captive Portal Authentication§
- Access Control
- Wireless Mac Address Filtering
- Wireless Isolation Between Clients
- SSID to VLAN Mapping
- Rogue AP Detection
- 802.1X Support