



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

ASUS PRIME B550M-A

Šifra: 52435

Kategorija proizvoda: Matične ploče

Proizvođač: ASUS

Cena: 2.199 rsd.

CPU

AMD AM4 Socket for AMD Ryzen™ 5000 Series/ 5000 G-Series/ 4000 G-Series/ 3000 Series Desktop Processors

* Refer to www.asus.com for CPU support list

Chipset

AMD B550

Memory

4 x DIMM, Max. 128GB, DDR4

4866(O.C.)/4800(O.C.)/4600(O.C.)/4466(O.C.)/4400(O.C.)/4333(O.C.)/4266(O.C.)/4200(O.C.)/4133(O.C.)/4000(O.C.)

MHz Un-buffered Memory *

Dual Channel Memory Architecture

ECC Memory (ECC mode) support varies by CPU.

* Refer to www.asus.com for the Memory QVL (Qualified Vendors Lists), and memory frequency support depends on CPU.

Graphic

1 x D-Sub

1 x DVI-D

1 x HDMI 2.1(4K@60HZ)

*Graphics specifications may vary between CPU types.

Expansion Slots

AMD Ryzen™ 5000 Series/ 3000 Series Desktop Processors

1 x PCIe 4.0 x16 (x16 mode)

AMD Ryzen™ 5000 G-Series/ 4000 G-Series Desktop Processors

1 x PCIe 3.0 x16 (x16 mode)

AMD B550 Chipset

2 x PCIe 3.0 x1

Storage

Total supports 2 x M.2 slot(s) and 4 x SATA 6Gb/s ports

AMD Ryzen™ 5000 Series/ 3000 Series Desktop Processors :

1 x M.2_1 socket 3, with M Key, Type 2242/2260/2280/22110(PCIE 4.0 x4 and SATA modes) storage devices supported

AMD Ryzen™ 5000 G-Series/ 4000 G-Series Desktop Processors :

1 x M.2_1 socket 3, with M Key, Type 2242/2260/2280/22110(PCIE 3.0 x4 and SATA modes) storage devices supported

AMD B550 Chipset :

1 x M.2_2 socket 3, with M Key, Type 2242/2260/2280 (PCIE 3.0 x4 and SATA modes) storage devices supported

4 x SATA 6Gb/s port(s),

Support Raid 0, 1, 10

LAN

Realtek RTL8111H 1Gb Ethernet

Audio

Realtek ALC887/897 7.1 Surround Sound High Definition Audio CODEC

- Supports : Jack-detection, Multi-streaming, Front Panel Jack-retasking, up to 24-Bit/192kHz playback

Audio Feature :

- LED-illuminated design

- Audio Shielding

- Dedicated audio PCB layers

- Premium Japanese audio capacitors

* Choose the chassis with HD audio module in front panel to support 8-channel audio output.

USB Ports

Rear USB Port (Total 6)

2 x USB 3.2 Gen 2 port(s)(2 x Type-A)