



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Cudy GS1008PS2

Šifra: 53121

Kategorija proizvoda: Switch uređaji

Proizvođač: CUDY



Cena: 8.003 rsd.

- 8 x gigabit PoE+ ports and 2 x gigabit SFP slots
- 120 watts total PoE power budget
- Extend mode(Port #7 ~ #8) supports PoE feeding up to 250 m
- IEEE 802.3af / 802.3at standard compliant
- IEEE 802.3X standard flow control
- Panel indicator monitoring status and help failure analysis

Power: AC100-240V50/60Hz

Ethernet: 8* Gigabit PoE Ports / 2* Gigabit SFP Ports

Chipset: 2*RTL8367S / RTL8238B

Bandwidth: 20Gbps

Pack forward rate: 14.88Mpps

MAC address: 2K

Jumbo Frame: 9216bytes

Transfer mode: Store and forward

MTBF: 100000 Hours

Network Protocol:

IEEE802.3 (10Base-T)

IEEE802.3u (100Base-TX)

IEEE802.3ab (1000Base-TX)

IEEE802.3x (Flow control)

PoE Protocol:

IEEE802.3af(15.4W)

IEEE802.3at(30W)

Industry Standard:

EMI: FCC Part 15 CISPR (EN55032) class A

EMS: EN61000-4-2 (ESD),

EN61000-4-4 (EFT),

EN61000-4-5 (Surge)

Network Medium:

10Base-T : Cat3, 4, 5 or above UTP(=100m)

100Base-TX : Cat5 or above UTP(=100m)

1000Base-TX : Cat5 or above UTP(=100m)

Optical Medium

Multimode optical fiber: 50/125, 62.5/125, 100/140um

Single-mode optical fiber: 8/125, 8.7/125, 9/125, 10/125um

LED Indicator: PWR (Power),1-10 Green Light (Link&Data)