

## Matična ploča AM4 Asus B450M-K VGA/DVI/M.2

Šifra: 58761

Kategorija proizvoda: Matične ploče

Proizvođač: ASUS



Cena: **9.185,00** rsd.

Tip procesora:	AMD
Podnožje:	AMD&reg; AM4
Čipset:	AMD&reg; B450
Format ploče:	Micro ATX
Podržani procesori:	AMD AM4 Socket AMD Ryzen™ druge generacijeRyzen™ sa Radeon™ Vega grafikomRyzen™ prve generacije.
Podržana memorija:	DDR4
Memorija:	2 x DIMM, maksimalni podržani kapacitet 32GB, DDR4 3200(O.C.)3000(O.C.)2933(O.C.)2800(O.C.)266624002133 MHz nebaferovane memorije. Dvokanalna arhitektura memorije. Podrška za ECC memoriju (ECC mod) varira u odnosu na mikroprocesor.
Integrirana grafička karta:	AMD Ryzen™ sa Radeon™ Vega grafičkim procesorom Multi-VGA output podrška: DVI-DD-Sub portovi - DVI-D, maksimalna rezolucija 1920 x 1200 @ 60 Hz - D-sub, maksimalna rezolucija 1920 x 1200 @ 60 H
Slotovi za proširenje:	AMD Ryzen™ druge generacijeRyzen™ prve generacije: 1 x PCIe 3.02.0 x16 (x16 mode) AMD Ryzen™ sa Radeon™ Vega grafikom: 1 x PCIe 3.02.0 x16 (x8 mode) *1 AMD B450 chipset: 2 x PCIe 2.0 x1
Storage:	AMD B450 chipset: 4 x SATA 6Gbs port(s), gray, Support Raid 0, 1, 10 AMD Ryzen™ druge generacijeRyzen™ sa Radeon™ Vega grafikomRyzen™ prve generacije: 1 x M.2 Socket 3, with M key, type 224222602280 storage devices support (SATA & PCIE 3.0 x 4 mode)
Mrežna karta:	Realtek® RTL8111H, 1 x Gigabit LAN Controller(s) ASUS LAN Guard
Zvučna karta:	Realtek® ALC887 8-Channel

High Definition Audio CODEC

USB:

AMD Ryzen™ druge generacije Ryzen™ sa Radeon™ Vega grafikom Ryzen™ prve generacije: 4 x USB 3.1 Gen 1 port(s) (4 na zadnjem panelu) AMD B450 chipset : 2 x USB 3.1 Gen 2 port(s) (2 na zadnjem panelu) AMD B450 chipset : 2 x USB 3.1 Gen 1 port(s) (2 na midboard-u) AMD B450 chipset : 4 x USB 2.0 1.1 port(s) (4 na midboard-u)

Konektori na zadnjoj strani:

1 x PS2 keyboard (purple) 1 x PS2 mouse (green) 1 x DVI-D 1 x D-Sub 1 x LAN (RJ45) port(s) 2 x USB 3.1 Gen 2 4 x USB 3.1 Gen 1 , 3 x Audio jack(s)

Interni konektori:

1 x USB 3.1 Gen 1 (up to 5Gbps) connector(s) support(s) additional 2 USB 3.1 Gen 1 port(s) (19-pin) 2 x USB 2.0 connector(s) support(s) additional 4 USB 2.0 port(s) 1 x M.2 Socket 3 with M key, type 224222602280 storage devices support (SATA & PCIe 3.0 x 4 mode) 1 x COM port(s) connector(s) 4 x SATA 6Gbs connector(s) 1 x CPU Fan connector(s) (1 x 4 -pin) 1 x Chassis Fan connector(s) (1 x 4 -pin) 1 x SPDIF out header(s) 1 x 24-pin EATX Power connector(s) 1 x 8-pin ATX 12V Power connector(s) 1 x Front panel audio connector(s) (AAFP) 1 x System panel(s) 1 x Clear CMOS jumper(s) 1 x Speaker connector

Bios:

128 Mb Flash ROM, UEFI AMI BIOS, PnP, SM BIOS 3.1, ACPI 6.1, višejezični BIOS, ASUS EZ Flash 3, ASUS CrashFree BIOS 3, F3 My Favorite, Last Modified log, F12 PrintScreen, ASUS DRAM SPD (Serial Presence Detect) memory information, F6 Qfan Control

Ostalo:

ASUS 5X Protection III: - ASUS SafeSlot Core: Ograđen PCIe Slot sprečava oštećenja - ASUS LANGuard: Štiti od LAN upada, udara groma i pražnjenja statičkog elektriciteta! - ASUS Overvoltage Protection: Zaštita od prevelike voltaže - ASUS zadnji IO panel od nerđajućeg čelika za veću izdržljivost - ASUS DIGI+ VRM: 6 Phase digital power design ASUS Exclusive Features: - AI Suite 3 - Ai Charger ASUS Quiet Thermal Solution : - Stylish Fanless Design Heat-sink solution - ASUS Fan Xpert ASUS EZ DIY : - ASUS CrashFree BIOS 3 - ASUS EZ Flash 3 - ASUS UEFI BIOS EZ Mode - Multi-language BIOS ASUS Q-Design : - ASUS Q-Slot - ASUS Q-DIMM

Razno:

{"url":"https://www.asus.com/Motherboards/PRIME-B450M-K","title":"Link

proizvo\u0111a i  
drajveri", "target": "\_blank"}