



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Matična ploča 1200 MSI H410M PRO-E
VGA/HDMI/DVI



Šifra: 59844

Kategorija proizvoda: Matične ploče

Proizvođač: MSI

Cena: 8.032 rsd.

Tip procesora:	Intel
Podnožje:	Intel® 1200
Čipset:	Intel® H410
Format ploče:	Micro ATX Supports 10th Gen Intel® Core™ and Pentium® Gold Celeron® processors for LGA 1200 socket
Podržani procesori:	
Podržana memorija:	2x DDR4 memory slots, support up to 64GB 1 Intel® Core™ i7 i9 Supports up to DDR4 2933 MHz Intel® Core™ i5 and below Supports up to DDR4 2666 MHz Supports Dual-Channel mode Supports non-ECC, un-buffered memory Supports Intel® Extreme Memory Profile (XMP)
Memorija:	
Integrirana grafička karta:	1x VGA port, supports a maximum resolution of 2048x1536 @50Hz, 2048x1280 @60Hz, 1920x1200 @60Hz 1x HDMI™ 1.4 port, supports a maximum resolution of 4096x2160 @30Hz 1x DVI-D port, supports a maximum resolution of 1920x1200 @60Hz
Slotovi za proširenje:	1x PCIe 3.0 x16 slot (From CPU) 1x PCIe 3.0 x1 slot (From PCH)
Storage:	4x SATA 6Gbps ports 1x Realtek R1111H Gigabit LAN controller
Mrežna karta:	
Zvučna karta:	4x USB 3.2 Gen1 5Gbps ports (2 Type-A ports on the back panel, 2 ports available through the internal USB 3.2 Gen1 5Gbps connector) 7x 1-Channel High Definition Audio
USB:	6x USB 2.0 ports (4 Type-A ports on the back panel, 2 ports available through the internal USB 2.0 connector)
Konektori na zadnjoj strani:	1x VGA 1x HDMI 2x USB 3.2 Gen1 5Gbps Type-A 1x keyboard/mouse 1x LAN 1x Audio connector 1x 8-pin ATX 12V power connector 1x DVI-D 4x USB 2.0 power connector 4x SATA 6Gbps connectors 1x USB 2.0 connector (supports additional 2 USB 2.0 ports) 1x USB 3.2 Gen1 5Gbps connector (supports additional 2 USB 3.2 Gen1 5Gbps ports) 1x 4-pin CPU fan connector 1x 4-pin system fan connector 1x Front panel audio connector 2x System panel connectors 1x Serial port connector 1x TPM module connector 1x Chassis Intrusion connector 1x Clear CMOS jumper 4x EZ Debug LED
Interni konektori:	