



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: office@gstore.rs

---

Matična ploča AM4 Gigabyte B550M S2H  
VGA/HDMI/DVI/M.2

---

Šifra: 59858

Kategorija proizvoda: Matične ploče

Proizvođač: GIGABYTE



**Cena: 11.867** rsd.

Tip procesora:	AMD
Podnožje:	AMD&reg; AM4
Čipset:	AMD&reg; B550
Format ploče:	Micro ATX AMD Socket AM4, support for: AMD Ryzen™ 5000 Series 3rd Gen AMD Ryzen™ 5000 Series processors: Support for DDR4 4266(O.C.) 4000(O.C.) 3866(O.C.) 3800(O.C.) 3733(O.C.) 3600(O.C.) 3466(O.C.) 3400(O.C.) 3333(O.C.) 3300(O.C.) 3200 2933 2667 2400 2133 MHz memory modules 3rd Gen AMD Ryzen™ Processors: Support for DDR4 5100(O.C.) 5000(O.C.) 4866(O.C.) 4600(O.C.) 4400(O.C.) 4000(O.C.) 3600(O.C.) 3333(O.C.) 32002933266724002133 MHz memory modules 3rd Gen AMD Ryzen™ with Radeon™ Graphics processors: Support for DDR4 5100(O.C.) 5000(O.C.) 4866(O.C.) 4600(O.C.) 4400(O.C.) 4000(O.C.) 3600(O.C.) 3333(O.C.) 32002933266724002133 MHz memory modules Dual channel memory architecture Support for ECC Un-buffered DIMM 1Rx82Rx8 memory modules Support for non-ECC Un-buffered DIMM 1Rx82Rx81Rx16 memory modules Support for Extreme Memory Profile (XMP) memory modules
Podržani procesori:	AMD Ryzen™ 5000
Podržana memorija:	AMD Ryzen™ 5000 Series processors: Support for DDR4 4266(O.C.) 4000(O.C.) 3866(O.C.) 3800(O.C.) 3733(O.C.) 3600(O.C.) 3466(O.C.) 3400(O.C.) 3333(O.C.) 3300(O.C.) 3200 2933 2667 2400 2133 MHz memory modules 3rd Gen AMD Ryzen™ Processors: Support for DDR4 5100(O.C.) 5000(O.C.) 4866(O.C.) 4600(O.C.) 4400(O.C.) 4000(O.C.) 3600(O.C.) 3333(O.C.) 32002933266724002133 MHz memory modules 3rd Gen AMD Ryzen™ with Radeon™ Graphics processors: Support for DDR4 5100(O.C.) 5000(O.C.) 4866(O.C.) 4600(O.C.) 4400(O.C.) 4000(O.C.) 3600(O.C.) 3333(O.C.) 32002933266724002133 MHz memory modules Dual channel memory architecture Support for ECC Un-buffered DIMM 1Rx82Rx8 memory modules Support for non-ECC Un-buffered DIMM 1Rx82Rx81Rx16 memory modules Support for Extreme Memory Profile (XMP) memory modules
Memorija:	

Integrirana grafička karta:	1 x D-Sub port, supporting a maximum resolution of 1920x1200@60 Hz 1 x DVI-D port, supporting a maximum resolution of 1920x1200@60 Hz * The DVI-D port does not support D-Sub connection by adapter. 1 x HDMI port, supporting a maximum resolution of 4096x2160@60 Hz * Support for HDMI 2.1 version, HDCP 2.3, and HDR.
-----------------------------	---

1 x PCI Express x16 slot, integrated in the CPU: 3rd Generation AMD Ryzen™ processors support PCIe 4.0 x16 mode 3rd Generation AMD Ryzen™ with Radeon™ Graphics processors support PCIe 3.0 x16