



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Iiyama PROLITE TE8604MIS-B2AG86 Interactive
4K UHD LCD Touchscreen with integrated
annotation software (TE8604MIS-B2AG)

Šifra: 6822

Kategorija proizvoda: Interaktivne table

Proizvođač: Iiyama



Cena: 513.836 rsd.

| | |
|---|--|
| Display Type: | LCD |
| Display Technology: | TFT Active Matrix |
| Diagonal Length: | 86" |
| Viewable Display Diagonal Length: | 86" |
| Type of Matrix: | IPS |
| Pitch Type: | Pixel Pitch |
| Pitch Width: | 0.4935 mm |
| Color Support: | 1.07B |
| Maximum Resolution: | 3840x2160 |
| Maximum Video Refresh Rate @ Max. Resolution: | 60 Hz |
| Maximum Horizontal Scan Frequency: | 80 kHz |
| Minimum Horizontal Scan Frequency: | 30 kHz |
| Image Brightness: | 400 cdm ² |
| Dynamic Contrast Ratio: | 3 500 : 1 |
| Image Contrast: | 1 200 : 1 |
| Image Max. H-View Angle: | 178 ° |
| Image Max. V-View Angle: | 178 ° |
| Response Time: | 8 ms |
| OSD Languages: | Czech, Dutch, English, French, German, Italian, Polish, Russian, Estonian |
| Screen Treatment: | Anti-Glare, Hard Coating 7H CB, CE, TÜV-Bauart, EAC, RoHS support, ErP, WEEE, REACH |
| Certifications: | (RoHS, PFOS, PFC) |
| Image Aspect Ratio: | 16:9 |
| Display Features: | LED Backlight, HDCP Ready, Ambient Light Sensor, UHD, 20 Point Infrared Touch-Screen |
| VGA: | 1 (15-pin D-sub) |
| HDMI: | 3 (HDMI (Type A)) |
| USB 3.1: | 1 (USB 3.1 (type C)) |
| Audio Line-In: | 1 (3.5-mm minijack) |
| LAN: | 1 (RJ-45) |
| Serial: | 1 (RS-232) |
| SPDIF-out Optical: | 1 (TOSLINK) |