



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---





## Cooler VENTILATOR RAIJINTEK AGERAS 12

Šifra: 72827

Kategorija proizvoda: Kuleri

Proizvođač: RAIJINTEK

**Cena: 1.241 rsd.**



**Specifikacija:** Proizvodjac RAIJINTEK AGERAS 12 ARGB SPECIFICATION Product Name AGERAS 12 ARGB-1 AGERAS 12 ARGB-2 AGERAS 12 ARGB-3 Product Number 0R40B00256 0R40B00257 0R40B00258 Dimension [W×H×D] 120×120×25 mm 120×120×25 mm 120×120×25 mm Voltage Rating 12V 12V 12V Starting Voltage 7V 7V 7V Speed 800~2200 R.P.M. 800~2200 R.P.M. 800~2200 R.P.M. Bearing Type Hydraulic Bearing Hydraulic Bearing Hydraulic Bearing Air Flow 67.38 CFM [Max.] 67.38 CFM [Max.] 67.38 CFM [Max.] Air Pressure 2.57 mmH2O [Max.] 2.57 mmH2O [Max.] 2.57 mmH2O [Max.] Life Expectance 40,000 hrs 40,000 hrs 40,000 hrs Noise Level 33 dBA [Max.] 33 dBA [Max.] 33 dBA [Max.] Connector 5V ADD 3pin Header, PWM 4pin Header 5V ADD 3pin Header, PWM 4pin Header 5V ADD 3pin Header, PWM 4pin Header Rated Current 0.17A±20% 0.17A±20% 0.17A±20% Power consumption 2.1W±20% 2.1W±20% 2.1W±20% LED Rated Current 0.35A [Max.] 0.35A [Max.] 0.35A [Max.] LED Power consumption 1.8W [Max.] 1.8W [Max.] 1.8W [Max.] Fan Qty 1 pcs 2 pcs 3 pcs Accessories Screw × 4 Screw × 8 1 to 2 ARGB Y Cable × 1 1 to 2 PWM Y Cable × 1 Screw × 12 1 to 3 ARGB Y Cable × 1 1 to 3 PWM Y Cable × 1 Warranty 3 years 3 years 3 years AGERAS 12 WHITE ARGB SPECIFICATION Product Name AGERAS 12 WHITE ARGB-1 AGERAS 12 WHITE ARGB-2 AGERAS 12 WHITE ARGB-3 Product Number 0R40B00259 0R40B00260 0R40B00261 Dimension [W×H×D] 120×120×25 mm 120×120×25 mm 120×120×25 mm Voltage Rating 12V 12V 12V Starting Voltage 7V 7V 7V Speed 800~2200 R.P.M. 800~2200 R.P.M. 800~2200 R.P.M. Bearing Type Hydraulic Bearing Hydraulic Bearing Hydraulic Bearing Air Flow 67.38 CFM [Max.] 67.38 CFM [Max.] 67.38 CFM [Max.] Air Pressure 2.57 mmH2O [Max.] 2.57 mmH2O [Max.] 2.57 mmH2O [Max.] Life Expectance 40,000 hrs 40,000 hrs 40,000 hrs Noise Level 33 dBA [Max.] 33 dBA [Max.] 33 dBA [Max.] Connector 5V ADD 3pin Header, PWM 4pin Header 5V ADD 3pin Header, PWM 4pin Header 5V ADD 3pin Header, PWM 4pin Header Rated Current 0.17A±20% 0.17A±20% 0.17A±20% Power consumption 2.1W±20% 2.1W±20% 2.1W±20% LED Rated Current 0.35A [Max.] 0.35A [Max.] 0.35A [Max.] LED Power consumption 1.8W [Max.] 1.8W [Max.] 1.8W [Max.] Fan Qty 1 pcs 2 pcs 3 pcs Accessories Screw × 4 Screw × 8 1 to 2 ARGB Y Cable × 1 1 to 2 PWM Y Cable × 1 Screw × 12 1 to 3 ARGB Y Cable × 1 1 to 3 PWM Y Cable