



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

INNO3D NVIDIA Video card GeForce RTX 4080 X3
16GB GDDR6X 320bit, 2505 MHz 24Gbps, 3x DP,
1x HDMI, 3 slot, 3 fan (N40803-166X-187049N)



STORE
UBODI PRAVO MESTO ZA TEHNIKU

Šifra: 77412

Kategorija proizvoda: Grafičke kartice

Proizvođač: INNO3D

Cena: 173.748 rsd.

| | |
|--|--|
| Requires Expansion Slot Standard: | PCI Express 4.0 x16 |
| Video Chipset: | Nvidia GeForce RTX 4080 |
| GPU Core Name: | AD103-300 |
| GPU Core Speed: | 2205 MHz |
| GPU Core Speed Boost: | 2506 MHz |
| GPU Quantity: | 1 |
| Stream Processors Quantity: | 1 x 9728 |
| Texture Mapping Unit Quantity: | 1 x 304 |
| Render Output Units Quantity (ROP): | 1 x 112 |
| Tensor Core Quantity: | 1 x 76 |
| Max. Monitors Supports: | Nvidia SLI HDCP(High-Bandwidth Digital Content Protection) |
| Maximum Resolution: | 7680x4320 Nvidia CUDA Nvidia GPU Boost Nvidia G-Sync Nvidia ShadowPlay VR Ready Nvidia Ansel Nvidia NVLink Nvidia DLSS Nvidia Highlights NVIDIA FreeStyle NVIDIA Game Ready NVIDIA Studio NVIDIA Reflex NVIDIA Broadcast |
| 2D3D karakteristike: | Nvidia Omniverse |
| API Supports: | DirectX 12.0 OpenGL 4.6 |
| Fill Rate (textures): | 671.8 |
| Fill Rate (pixels): | 247.5 |
| Video Memory Type: | Video Controller Memory |
| Memory Type: | GDDR6X SDRAM |
| Installed Video Memory Storage Capacity: | 1 x 16 GB |
| Video Memory Speed: | 22.4 GBsec |
| Memory Bus Bandwidth: | 1 x 256 bit |
| Memory Bandwidth: | 1 x 716.8 GBs |
| HDMI Interface Quantity: | 3 |
| HDMI Interface Connector Type: | HDMI (Type A) |
| DisplayPort Interface Quantity: | 1 |
| External Power: | 3 x 8 pin |
| PSU Output Power Required: | 750 W |
| Cooling System Type: | VGA Cooler |
| Card Slot Width: | 3 slot |
| Video Card Features: | RGB LED |