



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro MBD-X10DAX-O, Intel C612 Chipset,
SATA, LAN, Audio, SLi - Retail (X10DAX)

Šifra: 83786

Kategorija proizvoda: Dodatna oprema za server

Proizvođač: SUPERMIKRO



Cena: 57.974 rsd.

| | |
|--|-----------------------------|
| Chipset: | Intel C612 |
| CPU Socket Standard: | Socket 2011 |
| | Intel Xeon E5-2600v3 Series |
| Supports Central Processor Unit: | Intel Xeon E5-2600v4 Series |
| CPU Maximum Quantity Supports: | 2 |
| Memory Type: | DDR4 SDRAM |
| Provides Error Checking Method: | ECC |
| | 2400MHz(PC4-19200) |
| | 2133MHz(PC4-17000) |
| | 1866MHz(PC4-14900) |
| Memory Speed: | 1600MHz(PC4-12800) |
| Memory Form Factor: | DIMM 288-pin |
| Maximum Installable System Memory Storage Capacity: | 2 TB |
| Memory Slot Total Quantity: | 16 |
| | Registered |
| Memory Features: | Load Reduced |
| Storage Controller Type: | SATA III |
| RAID Controller Interface Type: | SATA III |
| | Level 0 |
| | Level 1 |
| | Level 10 |
| Supports RAID Level: | Level 5 |
| Audio Integrated: | yes |
| Audio Chipset: | Realtek ALC888 |
| Audio Output Mode: | 7.1 Channel Surround |
| Compliant Audio Standards: | High Definition Audio |
| LAN Integrated: | yes |
| LAN Chipset: | Intel i210 |
| | Gigabit EthernetFast |
| Data Link Protocol Supports: | EthernetEthernet |
| PCI Express 2.0 x4 Slot Quantity: | 1 |
| PCI Express 3.0 x16 Slot Quantity: | 3 |
| PCI Express 3.0 x8 Slot Quantity: | 2 |
| SATA III: | 10 |
| LAN: | 2 (RJ-45) |
| USB2.0: | 3 (4-pin USB (type A)) |
| USB3.0: | 4 (USB 3.0 (type A)) |
| SPDIF-out Optical: | 1 |
| BIOS Type: | AMI |