



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

SUPERMICRO X10DRH-I - motherboard - extended
ATX - LGA2011-v3 Socket - C612 Box Motherboard
(X10DRH-I)

Šifra: 83802

Kategorija proizvoda: Dodatna oprema za server

Proizvođač: SUPERMIKRO



Cena: 60.389 rsd.

| | |
|--|---|
| Chipset: | Intel C612 |
| CPU Socket Standard: | Socket 2011-3 |
| Supports Central Processor Unit: | Intel Xeon E5-2600v3 Series |
| Max. CPU Bus Clock Rate: | 9.6 GTsec |
| CPU Maximum Quantity Supports: | 2 |
| Memory Type: | DDR4 SDRAM |
| Provides Error Checking Method: | ECC 2133MHz(PC4-17000) 1866MHz(PC4-14900) 1600MHz(PC4-12800) |
| Memory Speed: | |
| Memory Form Factor: | DIMM 288-pin |
| Maximum Installable System Memory Storage Capacity: | 1 TB |
| Memory Slot Total Quantity: | 16 |
| Memory Features: | Registered RAID |
| Storage Controller Type: | SATA III Level 0 Level 1 Level 5 |
| Supports RAID Level: | Level 10 |
| Video Controller Integrated: | yes |
| Video Chipset: | Aspeed AST2400 |
| LAN Integrated: | yes |
| LAN Chipset: | Intel i350 Gigabit EthernetFast |
| Data Link Protocol Supports: | EthernetEthernet |
| PCI Express 3.0 x16 Slot Quantity: | 1 |
| PCI Express 3.0 x8 Slot Quantity: | 6 |
| USB 2.0 Interface Quantity: | 4 |
| Serial Interface Quantity: | 2 |
| VGA Interface Quantity: | 1 |
| LAN Interface Quantity: | 2 |
| USB3.0 Interface Quantity: | 5 |
| BIOS Type: | AMI ACPI 1.0 Support ACPI 2.0 Support PCI 2.3 PnP Support USB Keyboard support ACPI 3.0 Support ACPI 4.0 Support SMBIOS 2.7.1 Support |
| BIOS Features: | UEFI 2.3.1 |
| Maximum Operating Ambient Temperature: | 35 °C |
| Minimum Operating Ambient Temperature: | 10 °C |