



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---


Supermicro MBD-X10DRL-I-O, Dual SKT, Intel C612 chipset, 8xDIMMs DDR4 LRRDIMM2400, 10xSATA3 6G, 2xSATA-DOM, 2x1GbE i210, IPMI2.0+IP-KVM, 5x

---

Šifra: 83806

Kategorija proizvoda: Dodatna oprema za server

Proizvođač: SUPERMIKRO



**Cena: 44.057 rsd.**

Chipset:	Intel C612
CPU Socket Standard:	Socket 2011
Supports Central Processor Unit:	Intel Xeon E5-2600v3 Series
Maximum Installable L3 Cache	
Memory Storage Capacity:	45 MB
CPU Maximum Quantity Supports:	2
Memory Type:	DDR4 SDRAM
Provides Error Checking Method:	ECC 2133MHz(PC4-17000) 1866MHz(PC4-14900) 1600MHz(PC4-12800)
Memory Speed:	
Memory Form Factor:	DIMM 288-pin
Maximum Installable System	
Memory Storage Capacity:	512 GB
Memory Slot Total Quantity:	8
Memory Features:	Registered Load Reduced
Storage Controller Type:	SATA III
SATA Controller Interface Type:	Serial ATA III600 Level 0 Level 1 Level 10
Supports RAID Level:	Level 5
Video Controller Integrated:	yes
Video Chipset:	Aspeed AST2400
LAN Integrated:	yes
LAN Chipset:	Intel i210 Gigabit EthernetFast
Data Link Protocol Supports:	EthernetEthernet
PCI Express 2.0 x4 Slot Quantity:	1
PCI Express 3.0 x16 Slot Quantity:	1
PCI Express 3.0 x8 Slot Quantity:	3
PCI Express 3.0 x4 Slot Quantity:	1
Serial Interface Quantity:	2
VGA Interface Quantity:	1
LAN Interface Quantity:	3
BIOS Type:	AMI 2.3 PnP Support USB Keyboard support ACPI 3.0 Support 128Mb EEPROM ACPI 4.0 Support SMBIOS 2.7.1 Support
BIOS Features:	UEFI 2.3.1
Maximum Operating Ambient Temperature:	35 °C