



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

Supermicro MBD-X10DRL-C-O, Dual SKT, Intel C612 chipset, 8xDIMMs DDR4 LRRDIMM2400, 10xSATA3 6G, 8xSAS3(LSI3108) 2GB NV HW RAID 0,1,5,6,10,5

---



Šifra: 83809

Kategorija proizvoda: Dodatna oprema za server

Proizvođač: SUPERMIKRO

**Cena: 77.299 rsd.**

Chipset:	Intel C612
CPU Socket Standard:	Socket R3
	Intel Xeon E5-2600v3 Series
Supports Central Processor Unit:	Intel Xeon E5-2600v4 Series
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Maximum Quantity Supports:	2
Memory Type:	DDR4 SDRAM
Provides Error Checking Method:	ECC
	1600MHz(PC3-12800)
	2133MHz(PC3-17000)
	1866MHz(PC3-14900)
Memory Speed:	2400MHz(PC4-19200)
Memory Form Factor:	DIMM 288-pin
Maximum Installable System Memory Storage Capacity:	1 TB
Memory Slot Total Quantity:	8
Memory Features:	Registered Load Reduced
Storage Controller Type:	SAS SATA III
RAID Controller Interface Type:	SAS SATA III
	Level 1
	Level 10
	Level 5
	Level 50
	Level 6
Supports RAID Level:	Level 60
Video Controller Integrated:	yes
Video Chipset:	Aspeed AST2400
LAN Integrated:	yes
LAN Chipset:	Intel i210
	Gigabit EthernetFast
Data Link Protocol Supports:	EthernetEthernet
PCI Express 3.0 x16 Slot Quantity:	1
PCI Express 3.0 x8 Slot Quantity:	2
SATA III:	6
SAS:	8
Management Port:	1 (RJ-45)
LAN:	2 (RJ-45)
VGA:	1 (15-pin DB)
USB3.0:	2 (USB 3.0 (type A))
USB2.0:	1 (4-pin USB (type A))
BIOS Type:	AMI