



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro MBD-X10DRW-E-O, Dual SKT, Intel C612 chipset, 16 DIMM slots, 10 x SATA3, 2 x 1GbE, IPMI, 1 x PCI-E3.0 x32 slot,WIO - Retail (X1

Šifra: 83818

Kategorija proizvoda: Dodatna oprema za server

Proizvođač: SUPERMIKRO



Cena: 53.304 rsd.

Chipset:	Intel C612
CPU Socket Standard:	Socket 2011-3
	Intel Xeon E5-2600v3 Series
Supports Central Processor Unit:	Intel Xeon E5-2600v4 Series
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Maximum Quantity Supports:	2
Memory Type:	DDR4 SDRAM
Provides Error Checking Method:	ECC
	2400MHz(PC4-19200)
	2133MHz(PC4-17000)
	1600MHz(PC4-12800)
Memory Speed:	1866MHz(PC4-14900)
Memory Form Factor:	DIMM 288-pin
Maximum Installable System Memory Storage Capacity:	2 TB
Memory Slot Total Quantity:	16
	Registered
Memory Features:	Load Reduced
Storage Controller Type:	SATA III
SATA Controller Interface Type:	Serial ATA III600
RAID Controller Interface Type:	SATA III
	Level 0
	Level 1
	Level 10
Supports RAID Level:	Level 5
Video Controller Integrated:	yes
Video Chipset:	Aspeed AST2400
LAN Integrated:	yes
LAN Chipset:	Intel i350-AM2
	Gigabit EthernetFast
Data Link Protocol Supports:	EthernetEthernet
PCI Express 3.0 x32 Slot Quantity:	1
SATA III:	10
LAN:	2 (RJ-45)
Management Port:	1 (RJ-45)
USB2.0:	4 (4-pin USB (type A))
VGA:	1 (15-pin DB)
BIOS Type:	ACPI 1.0 Support
	AMI
	ACPI 2.0 Support
	PCI 2.3
	PnP Support
	USB Keyboard support
	ACPI 3.0 Support
	ACPI 4.0 Support
	SMBIOS 2.7.1 Support
	UEFI 2.3.1
BIOS Features:	128Mb SPI Flash EEPROM
Maximum Operating Ambient Temperature:	35 °C