




Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro MBD-X10SDV-4C-7TP4F, Single SKT,
Xeon D-1518 SoC, 2 x 10G SFP+, 2 x 1GbE, 4
DIMMs, 16 x SAS SATA, IPMI, mini-ITX - Retail (X10)

Šifra: 83829

Kategorija proizvoda: Dodatna oprema za server

Proizvođač: SUPERMIKRO



Cena: 80.842 rsd.

| | |
|--|--|
| CPU: | Intel Xeon Processor D-1518 |
| CPU Core Quantity: | 4 |
| CPU Socket Standard: | Socket 1667 |
| Internal Clock Rate: | 2.2 GHz |
| CPU Installed Quantity: | 1 |
| Installed L2 Cache Memory Storage Capacity: | 1 MB |
| Installed L3 Cache Memory Storage Capacity: | 6 MB |
| CPU Maximum Quantity Supports: | 1 |
| Features: | Supports 14nm Processors |
| Memory Type: | DDR4 SDRAM |
| Provides Error Checking Method: | ECCNon-ECC 2133MHz(PC4-17000) 1866MHz(PC4-14900) 1600MHz(PC4-12800) |
| Memory Speed: | 1600MHz(PC4-12800) |
| Memory Form Factor: | DIMM 288-pin |
| Maximum Installable System Memory Storage Capacity: | 128 GB |
| Memory Slot Total Quantity: | 4 |
| Memory Features: | Registered Unbuffered SAS |
| Storage Controller Type: | SATA III |
| RAID Controller Interface Type: | SATA III Level 0 Level 1 Level 10 |
| Supports RAID Level: | Level 5 |
| Video Controller Integrated: | yes |
| Video Chipset: | Aspeed AST2400 |
| LAN Integrated: | yes |
| LAN Chipset: | Intel i210 10 Gigabit Ethernet Gigabit EthernetFast |
| Data Link Protocol Supports: | EthernetEthernet |
| MiniPCI Express Slot Quantity: | 1 |
| PCI Express 3.0 x8 Slot Quantity: | 2 |
| M.2 Slot Quantity: | 1 |
| SATA III: | 4 |
| SASSATA: | 16 |
| SFP+: | 2 |