




Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro X11SDV-12C-TP8F Motherboard, Intel Xeon D-2166NT, 4x DDR4 RDIMM or 4x DDR4 LRDIMM, 1x PCI-E 3.0 x8, 1x PCI-E 3.0 x16, 6.SoC con

Šifra: 83917

Kategorija proizvoda: Dodatna oprema za server

Proizvođač: SUPERMIKRO



Cena: 214.176 rsd.

CPU:	Intel Xeon Processor D-2166NT
CPU Core Quantity:	12
CPU Socket Standard:	Socket 2518
Internal Clock Rate:	2.3 GHz
Turbo Clock Rate:	3.00 GHz
CPU Installed Quantity:	1
Installed L2 Cache Memory Storage Capacity:	8 MB
Installed L3 Cache Memory Storage Capacity:	Hyper-Threading Technology Enhanced SpeedStep Technology Virtualization Technology Intel® VT-x with Extended Page Tables Thermal Monitoring Technologies Idle States Virtualization for Directed IO Transactional Synchronization Extensions QuickAssist Technology
Architecture Features:	Volume Management Device
CPU Maximum Quantity Supports:	1
Features:	Supports 14nm Processors
Memory Type:	DDR4 SDRAM
Provides Error Checking Method:	ECC 2666MHz(PC3-21300) 2133MHz(PC4-17000)
Memory Speed:	2400MHz(PC4-19200)
Memory Form Factor:	DIMM 288-pin
Maximum Installable System Memory Storage Capacity:	512 GB
Memory Features:	Registered
Integrated:	Storage Controller: Supports: Level 01, Level 0, Level 10, Level 05 SATA III-600 (12) PCI Express 3.0 x4 (1 x M.2) PCIe 3.0 x2SATA (1 x M.2)
Video Chipset:	Aspeed AST2500
Video Memory Type:	Video Controller Memory
LAN Integrated:	yes
LAN Chipset:	Intel i350-AM4 Gigabit EthernetFast
Data Link Protocol Supports:	EthernetEthernet
PCI Express 3.0 x8:	1
PCI Express 3.0 x16:	1
LAN:	8 (RJ-45)
USB 2.0:	2 (USB Type A)
USB 3.0:	2 (USB 3.0 (type A))
VGA:	1 (15-pin DB)
Serial:	1