



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

Supermicro server barebone SSG-6029P-E1CR24L,  
2U, Dual Socket P (LGA 3647), 24 DIMMs, 2 PCI-E  
3.0 x16, 1 PCI-E 3.0 x8, 1 SIOM card support,

---

Šifra: 83934

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO



**Cena: 452.850 rsd.**

System Type:	Server Barebone
System Form Factor:	2U Rackmount
Supported CPUs:	Xeon Scalable Processors
Max. CPU Bus Clock Rate:	10.4 GTsec
CPU Socket Standard:	Socket 3647
CPU Maximum Quantity Supports:	2
Chipset:	Intel C621
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 2666MHz(PC4-21300) 2933MHz(PC4-23400)
Memory Speed:	
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	6 TB
Memory Slot Total Quantity:	24
Memory Features:	Registered <b>Storage Controller:</b> <b>Supports: Level 0, Level 1, Level 10, Level 5</b>
Integrated:	<b>SATA III-600 (8)</b> <b>Storage Controller:</b> <b>LSI 3008</b> <b>Supports: Level 0, Level 1, Level 10, Level 1E</b> <b>PCIeSASSATA</b> <b>Remote Management Controller:</b>
Plug-in-card:	<b>Gigabit Ethernet (1 x RJ-45)</b>
Maximum Fans Supported Quantity:	5 count
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2500
Networking Form Factor:	Integrated
LAN:	Gigabit Ethernet
Number of 3.5-inch Hot-Swap Drive Bays:	24
Number of 2.5-inch Hot-Swap Drive Bays:	2
PCI Express 3.0 x16:	2
PCI Express 3.0 x8:	1
Management Port:	1 (RJ-45)
USB 3.0:	2 (USB 3.0 (type A))
USB:	1 (4-pin USB (type A))
VGA:	1 (15-pin DB)