



Firma: G Store & Repair doo  
Adresa: Bul.Mihajla Pupina 10z/3  
Telefon: 011 785 66 66  
Fax:  
PIB: 112029009  
E-mail: [office@gstore.rs](mailto:office@gstore.rs)

---

Supermicro Barebone SSG-2028R-ACR24L 2U  
SuperStorage Server for up to Dual Intel Xeon E5-  
2600 v4v3, 24 Hot-swap 2.5" SAS3SATA3, 920W  
RPSU (

---

Šifra: 83944

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO

**Cena: 322.923 rsd.**



System Type:	Server Barebone
System Form Factor:	Rack-Mountable
Supported CPUs:	Xeon Processor E5-2600v3 Series Xeon Processor E5-2600v4 Series
Max. CPU Bus Clock Rate:	9.6 GTsec
CPU Socket Standard:	Socket 2011-3
CPU Maximum Quantity Supports:	2
Chipset:	Intel C612
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200) 1600MHz(PC4-12800) 1866MHz(PC4-14900)
Memory Speed:	
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB
Memory Slot Total Quantity:	16
Memory Features:	Registered Load Reduced <b>Storage Controller:</b> <b>Supports: Level 0, Level 1, Level 10, Level 5</b> <b>SATA III-600</b> <b>Remote Management Controller:</b> <b>Gigabit Ethernet (1 x RJ-45)</b>
Integrated:	<b>Storage Controller:</b> <b>LSI 3008</b> <b>Supports: Level 0, Level 1, Level 10, Level 5</b> <b>SAS 3</b>
Plug-in-card:	
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2400
Networking Form Factor:	Integrated
LAN Chipset:	Intel X540
LAN:	10G Ethernet 10 Gigabit Ethernet Gigabit Ethernet
Data Link Protocol Supports:	Fast Ethernet
Number of 2.5-inch Hot-Swap Drive Bays:	26
PCI Express 3.0 x16:	1
PCI Express 3.0 x8:	6
LAN:	10G Ethernet
USB 3.0:	2 (USB Type A)
USB 2.0:	2 (USB Type A)
VGA:	1 (15-pin DB)