



Firma: G Store & Repair doo
Adresa: Bul.Mihajla Pupina 10z/3
Telefon: 011 785 66 66
Fax:
PIB: 112029009
E-mail: office@gstore.rs

Supermicro SuperStorage SSG-6029P-E1CR12T
2U, 2xLGA 3647, TDP 70-205W, Intel C622,
16xDDR4, 12x3.5" Hot-swap, 2x2.5" Hot-swap,
LSI 3108, 3x

Šifra: 83945

Kategorija proizvoda: Serveri

Proizvođač: SUPERMIKRO

Cena: 303.249 rsd.



System Type:	Server Barebone
System Form Factor:	Rack-Mountable
Supported CPUs:	Xeon Scalable Processors
Max. CPU Bus Clock Rate:	10.4 GTsec
CPU Socket Standard:	Socket 3647
CPU Maximum Quantity Supports:	2
Chipset:	Intel C624
Quantity of Mainboards Supported:	1
Memory Type:	DDR4 SDRAM
Memory Form Factor:	DIMM 288-pin 2133MHz(PC4-17000) 2400MHz(PC4-19200)
Memory Speed:	2666MHz(PC4-21300)
Provides Error Checking Method:	ECC
Maximum Installable System Memory Storage Capacity:	2 TB
Memory Slot Total Quantity:	16
Memory Features:	Registered Storage Controller: Load Reduced Supports: Level 0, Level 1, Level 10, Level 5 SATA III-600 (10) Storage Controller: Supports: Level 0, Level 1 PCIe NVMe 3.0 x4 (2 x M.2 (Key M)) Remote Management Controller: Gigabit Ethernet (1 x RJ-45)
Integrated:	RAID Controller: LSI 3108 Supports: Level 0, Level 1, Level 10, Level 5, Level 50, Level 6, Level 60 SAS
Plug-in-card:	
Video Controller Form Factor:	Integrated
Video Chipset:	Aspeed AST2500
Networking Form Factor:	Integrated
LAN Chipset:	Intel X722 + Intel X557
LAN:	10G Ethernet
Number of 3.5-inch Hot-Swap Drive Bays:	12
Number of 2.5-inch Hot-Swap Drive Bays:	2
PCI Express 3.0 x16:	3
PCI Express 3.0 x8:	4
LAN:	10G Ethernet
USB:	1
USB 3.0:	4 (USB 3.0 (type A))
VGA:	1 (15-pin D-sub)